| Part Number | Part Name  | Pack Quantity | Vendor        | Model Number |
|-------------|--|---------------|---------------|--------------|
| FD-L-001    | 304<br>Stainless Steel Sheets                              | 1             | McMaster Carr | 8983K92      |
| FD-L-002    | Multipurpose 6061<br>Aluminum, 1/4"<br>Diameter            | 1             | McMaster Carr | 8974K22      |
| FD-L-003    | Multipurpose 6061<br>Aluminum Bar                          | 1             | McMaster Carr | 8975K578     |
|             |  |               |               |              |
|             |  |               |               |              |
| FD-A-001    | 1730<br>Protector Case                                     | 1             | Pelican       | 1730-000-110 |
| FD-D-001    | Stack and Nest<br>Containers                               | 3             | ULINE         | S-10717BLU   |
|             | NAighty Lite Contage                                       |               |               |              |
| FD-L-004    | Mighty-Lite Casters with Rubber Wheels                     | 1             | McMaster Carr | 2835T39      |
| FD-L-005    | Mighty-Lite Caster   | 1             | McMaster Carr | 2835T35      |
| FD-L-006    | Hand Winch for<br>Wire Rope-for Lifting                    | 1             | McMaster Carr | 3196T56      |
| FD-D-002    | Corrosion-Resistant<br>Dial Bench-Top Scale                | 1             | McMaster Carr | 17525T52     |
| FD-D-003    | Mil. Spec. Stainless<br>Steel Hex Drive Flat<br>Head Screw | 1             | McMaster Carr | 94518A515    |
| FD-D-004    | PLA Plus Filament  | 2             | DURAMIC       | ~            |


|          | Maturity  |
|----------|---|
| Deciding | Part has to be approved by team before ordering |
| Ordered  | Part has been ordered and awaiting delivery     |

| <b>Acquired</b> Part has been delivered and in team's possession |  |
|--|--|
| <b>Donated</b> Part was given to team from the lab               |  |

|              |                                 | Part Number |
|--------------|---------------------------------|-------------|
| All          | FD-A-XXX, Both systems combined |             |
| Distribution | FD-D-XXX                        |             |
| Lifting      | FD-L-XXX                        |             |

| Description RAW MATERIAL  | Link  | Pa | ck Cost (\$) | Lab | or Cost (\$) | Order Quantity |
|---|-------|----|--------------|-----|--------------|----------------|
| 24.00" x 24.00" x 0.06"   | Click | \$ | 105.11       | \$  | -            | 2              |
| Diameter 1/4", Length 6'  | Click | \$ | 11.48        | \$  | -            | 12             |
| 36.00" x 1.00" x 0.125"   | Click | \$ | 4.44         | \$  | -            | 12             |
| ELECTRONICS   |       |    |              |     |              |                |
| CTORACE   |       |    |              |     |              |                |
| STORAGE Inside: 34.00" x 24.00" x 12.50" Outside: 37.50" x 27.13" x 14.37" Storage Volume: 5.9 cubic ft Weight: 30 lb                                       | Click | \$ | 587.95       | \$  | -            | 2              |
| Outside: 24" x 20" x 13" Inside: 19" x 17" x 12" Storage Volume: 2.7 cubic ft Weight: 7 lbs Color: Blue   | Click | \$ | 30.00        | \$  | -            | 1              |
| MISCELLANEOUS   |       |    |              |     |              |                |
| Mount Height 4 3/4", Diameter 4"  | Click | \$ | 19.01        | \$  | -            | 2              |
| Mount Height 4 3/4", Diameter 4"  | Click | \$ | 11.21        | \$  | -            | 2              |
| Gear Ratio 4.4:1, Min Cap: 50 lbs, Max<br>Cap: 800 lbs  | Click | \$ | 84.14        | \$  | -            | 1              |
| 11" x 7" 10"<br>Capacity: 10 lb<br>Accuracy: ± 1 oz   | Click | \$ | 215.00       | \$  | -            | 1              |
|   | Click | \$ | 4.75         |     |              | 8              |
| 3D PLA Plus Filament 1.75mm 1.75 PLA Pro 3D Printer Filament 8 Times Strength 1kg Cardboard Spool 3D Printing Filament Dimensional Accuracy 99% +/- 0.03 mm | Click | \$ | 41.99        | \$  | -            | 1              |

| Subtotal   |  |
|------------|--|
| Donations  |  |
| Final Cost |  |



## Key

Over \$2000.00 Under \$2000.00

| Maturity |
|----------|
| Deciding |
| Deciding |
| Deciding |
|          |
|          |
| Donated  |
| Deciding |
|          |
| Deciding |
| Deciding |
| Deciding |
| Deciding |
|          |
| Deciding |

| \$<br>2,046.73 |
|----------------|
| \$<br>1,175.90 |
| \$<br>870.83   |