
Dr. Leon VanDommelen (11/07/19) 2

Table of Contents

EXAM 2, Question 2	1
SOLUTION:	1
a)	1
b)	2
c)	3

IMPORTANT:

Do not change **anything** in this header (besides your name and exam date above as needed)!

Put your solution to the question completely at the end of this file.


EXAM 2, Question 2

```
if ~exist('__code__', 'var') ; clear ; end
format compact
more off
```

SOLUTION:

a)

```
% plot the folium
ezplot('x^3+y^3-3*x*y', [-2 2 -2 2])
axis('square')
grid on
```



b)

```

% declare x and y as symbols
syms x y
% solve the equation of the lemniscate for y
lemSol=solve((x^2+y^2)^2==x^2-y^2,y)
% find the y-values if x is sqrt(3/8)
yVals=subs(lemSol,x,sym('sqrt(3/8)'))
pretty(yVals)
% take the real roots out of there
y1=yVals(2)
y2=yVals(4)
% collect the coefficients of the powers of y
lemRewritten=collect((x^2+y^2)^2-x^2+y^2,y)

lemSol =
  (- x^2 - (8*x^2 + 1)^(1/2)/2 - 1/2)^(1/2)
  ((8*x^2 + 1)^(1/2)/2 - x^2 - 1/2)^(1/2)
  -(- x^2 - (8*x^2 + 1)^(1/2)/2 - 1/2)^(1/2)
  -((8*x^2 + 1)^(1/2)/2 - x^2 - 1/2)^(1/2)
yVals =
  (8^(1/2)*15^(1/2)*1i)/8
  8^(1/2)/8
  -(8^(1/2)*15^(1/2)*1i)/8
  -8^(1/2)/8
/ sqrt(8) sqrt(15) 1i \

```

$$\frac{\frac{\frac{\sqrt{8}}{8}}{\sqrt{8}} \sqrt{15} + i}{8}}{\frac{\sqrt{8}}{8}}$$

```

y1 =
8^(1/2)/8
y2 =
-8^(1/2)/8
lemRewritten =
y^4 + (2*x^2 + 1)*y^2 + x^4 - x^2

```

c)

```

% declare s to be a symbol
syms s
% form the ratio
ratSym=(s^3-2*s^2-5*s+6)/(s^4-16)
% factor it, combining the factors together
ratSymFactors=factor(ratSym)
ratSymFactors=prod(ratSymFactors)
% find the partial fractions and show them pretty
ratSymPartfrac=partfrac(ratSym)
pretty(ratSymPartfrac)

```

```

ratSym =
(- s^3 + 2*s^2 + 5*s - 6)/(s^4 - 16)
ratSymFactors =
[ s - 1, s - 3, 1/(s - 2), 1/(s^2 + 4)]
ratSymFactors =
((s - 1)*(s - 3))/((s^2 + 4)*(s - 2))
ratSymPartfrac =
((9*s)/8 - 7/4)/(s^2 + 4) - 1/(8*(s - 2))
9 s 7
---- -
8 4 1
-----
2 8 (s - 2)
s + 4

```

Published with MATLAB® R2015b