

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
ALAFIA RIVER	SOUTH PRONG ALAFIA RIVER	1	1653	Coliforms, Nutrients		Low	Group 1 & 2	2008		
ALAFIA RIVER	OWENS BRANCH	5	1675	Coliforms, Nutrients		Low	Group 1 & 2	2008		
ALAFIA RIVER	BELL CREEK (Alafia River)	8	1660	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 1 & 2	2008		
ALAFIA RIVER	NORTH PRONG ALAFIA RIVER	9	1621E	Dissolved Oxygen, Nutrients, Coliforms	This segment was nominated by the SW District. Alafia River Task Force developed a monitoring plan to evaluate facility BMPs.	Low	Group 1 & 2	2008		
ALAFIA RIVER	ALAFIA RIVER ABOVE HILLSBOROUGH BAY	13	1621G	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
ALAFIA RIVER	THIRTYMILE CREEK	15	1639	Dissolved Oxygen, Coliforms, Nutrients	Included in Alafia River Task Force monitoring plan. Facility BMPs being implemented.	High	Group 1 & 2	2003		
ALAFIA RIVER	BUCKHORN SPRING	19	1635	Nutrients	SWFWMD Suggested. High NOx levels and algal blooms downstream.	Low	Group 1 & 2	2008		
ALAFIA RIVER	ENGLISH CREEK	23	1592C	Coliforms, Nutrients		Low	Group 1 & 2	2008		
ALAFIA RIVER	TURKEY CREEK ABOVE LITTLE ALAFI	24	1578B	Coliforms, Nutrients, Turbidity		Low	Group 1 & 2	2008		
ALAFIA RIVER	POLEY CREEK	25	1583	Coliforms, Nutrients, Turbidity		Low	Group 1 & 2	2008		
APALACHICOLA BAY	APALACHICOLA BAY	1	1274	Coliforms, Nutrients	Part of Apalachicola/Chattahoochee/Flint River project. No surface dischargers of industrial or domestic wastewater. SWIM Waterbody. Various TMDL, water management & pollution reduction studies ongoing.	High	Group 2	2003		
APALACHICOLA BAY	APALACHICOLA BAY	2	1274B	Coliforms, Nutrients	Part of Apalachicola/Chattahoochee/Flint River project. No surface dischargers of industrial or domestic wastewater. NFWFMD SWIM. Franklin Co. Stormwater Study 1998. NOAA Sediment Study (Panhandle Bays, 1997).	High	Group 2	2003		
APALACHICOLA RIVER	HUCKLEBERRY CREEK	1	1286	Nutrients, Coliforms	This water was nominated for listing by citizens and the district and Tallahassee staff. Apalachicola STP lawsuit. Aquatic weed problems. Jackson River may be investigated as well.	High	Group 2	2003		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
APALACHICOLA RIVER	APALACHICOLA RIVER-Scipio Creek	2	375A	Coliforms	Seasonal data at Sta. 280 has high fecal coliforms. NPS assessment was poor indicating stormwater problems. Citizens requested listing.	High	Group 2	2003		
APALACHICOLA RIVER	APALACHICOLA RIVER	3	375B	Coliforms	Seasonal data at Stas. 20 and 22 indicate high coliforms. Citizens requested listing.	High	Group 2	2003		
APALACHICOLA RIVER	CYPRESS CREEK (Double Bayou)	5	1262		This segment was listed based on biological sampling.	Low	Group 2	2008		
APALACHICOLA RIVER	HORSESHOE CREEK	7	1272	Coliforms, Dissolved Oxygen		Low	Group 2	2008		
APALACHICOLA RIVER	APALACHICOLA RIVER	10	375D	Turbidity	Part of Apalachicola/Chattahoochee/Flint River project. SWIM PLAN. Many small WWTP's. High sediment loadings from Torreya State Park unmaintained roads.	High	Group 2	2003		
APALACHICOLA RIVER	APALACHICOLA RIVER	11	375E	Coliforms	Seasonal data 5-27-97 at Sta. 2 indicates high coliforms.	High	Group 2	2003		
APALACHICOLA RIVER	GREGORY MILL CREEK	13	1135	Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids		Low	Group 2	2008		
APALACHICOLA RIVER	EQUILOXIC CREEK	14	1109A	Dissolved Oxygen, Turbidity, Mercury (Based on Fish Consumption Advisory).		Low	Group 2	2008	2011	mercury
APALACHICOLA RIVER	LITTLE GULLY CREEK	15	1039	Coliforms, Dissolved Oxygen, Turbidity		Low	Group 2	2008		
APALACHICOLA RIVER	SWEETWATER CREEK	23	728	Coliforms, Dissolved Oxygen		Low	Group 2	2008		
APALACHICOLA RIVER	FLAT CREEK	26	487	Coliforms, Nutrients, Turbidity, Total Suspended Solids		Low	Group 2	2008		
APALACHICOLA RIVER	GLEN JULIA SPRING	28	393Z (464)	Coliforms, Nutrients		Low	Group 2	2008		
APALACHICOLA RIVER	NORTH MOSQUITO CREEK	31	384		Listing of this segment is based on biological sampling.	Low	Group 2	2008		
BLACKWATER RIVER	BLACKWATER RIVER	3	24b	Coliforms	Listing of this segment is based on the NPS Survey.	Low	Group 4 & 5	2011	1999	Coliforms

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
BLACKWATER RIVER	BLACKWATER RIVER	4	24A	Total Suspended Solids, Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011	1999	Coliforms
BLACKWATER RIVER	BUCKET BRANCH	7	356		Listing of this segment is based on the NPS Survey.	Low	Group 4 & 5	2011		
BLACKWATER RIVER	WEST FORK (Big Coldwater Creek-West Fork)	42	11A	Coliforms, Nutrients		Low	Group 4 & 5	2011	1999	Coliforms
BLACKWATER RIVER	EAST FORK (Big Coldwater Creek-East Fork)	53	18A	Coliforms, Total Suspended Solids		Low	Group 4 & 5	2011	1999	Coliforms
BLACKWATER RIVER	MANNING CREEK	59	127	Coliforms, Turbidity, Total Suspended Solids		Low	Group 4 & 5	2011	1999	Coliforms
BLACKWATER RIVER	BLACKWATER RIVER	75	24D	Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011	1999	Coliforms
BLACKWATER RIVER	MARE CREEK	79	88	Dissolved Oxygen, Turbidity		Low	Group 4 & 5	2011		
BLACKWATER RIVER	BIG JUNIPER CREEK	84	19	Coliforms, Turbidity		Low	Group 4 & 5	2011	1999	Coliforms
BLACKWATER RIVER	BIG COLDWATER CREEK	96	18	Coliforms, Total Suspended Solids		Low	Group 4 & 5	2011	1999	Coliforms
CALOOSAHATCHEE RIVER	MANUEL BRANCH	3	3240I	Dissolved Oxygen Nutrients		Low	Group 2 & 3	2009		
CALOOSAHATCHEE RIVER	BILLY CREEK	4	3240J	Dissolved Oxygen, Nutrients	Problems due to urban landuse (some industrial), has caused aquatic weed proliferation.	High	Group 2 & 3	2004		
CALOOSAHATCHEE RIVER	YELLOW FEVER CREEK	11	3240E	Dissolved Oxygen		Low	Group 2 & 3	2009		
CALOOSAHATCHEE RIVER	NINEMILE CANAL	19	3237D	Nutrients, Dissolved Oxygen, Biochemical Oxygen Demand, Coliforms	Low dissolved oxygen due to deep canals that intercept groundwater.	High	Group 2 & 3	2004		
CALOOSAHATCHEE RIVER	DAUGHTREY CREEK (East Branch Cocohatchee River & Popash Creek)	21	3240F	Nutrients, Dissolved Oxygen	Potential problems due to package plants and septic tanks. Extensive development planned.	High	Group 2 & 3	2004		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
CALOOSAHATCHEE RIVER	TROUT CREEK	24	3240G	Dissolved Oxygen, Coliforms, Biochemical Oxygen Demand		Low	Group 2 & 3	2009		
CALOOSAHATCHEE RIVER	LAKE HICPOCHEE	26	3237C	Nutrients	Agricultural drainage from several areas including Lake Okeechobee.	High	Group 2 & 3	2004		
CALOOSAHATCHEE RIVER	EAST CALOOSAHATCHEE	28	3237A	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand		Low	Group 2 & 3	2009		
CHARLOTTE HARBOR	MATLACHA PASS	4	2065F	Nutrients, Mercury (Based on Fish Consumption Advisory)	Matlacha STP will be moved in 1998 to Pine Island. Poor WQ could be caused by poor flushing. Although Matlacha Pass is the only listed segment a TMDL will be determined for all of Charlotte Harbor.	High	Group 2 & 3	2004	2011	mercury
CHARLOTTE HARBOR	NORTH PRONG ALLIGATOR CREEK	30	2071	Dissolved Oxygen, Coliforms, Turbidity		Low	Group 2 & 3	2009		
CHATTAHOOCHEE RIVER	THOMPSON POND	1	272	Coliforms, Nutrients		High	Group 2	2003		
CHATTAHOOCHEE RIVER	LAKE SEMINOLE	3	60	Dissolved Oxygen, Nutrients	Apalachicola SWIM Plan. Aquatic weeds, Hydrilla problems.	High	Group 2	2003		
CHIPOLA RIVER	CHIPOLA RIVER (Dead Lakes)	1	51A	Coliforms, Turbidity, Mercury (Based on Fish Consumption Advisory)	In Apalachicola SWIM Plan. Wastewater discharges at Marianna, Blue Springs - septic tanks, silviculture above Marianna, sedimentation. Agricultural and urban land causing nutrient enrichment.	High	Group 2	2003	2011	mercury
CHIPOLA RIVER	CHIPOLA RIVER	2	51B	Nutrients	Apalachicola SWIM Plan. Wastewater Discharges at Marianna, Blue Springs - Septic tanks and sedimentation. Agricultural and urban land misuse causing nutrient enrichment. Nitrate and TN problems.	High	Group 2	2003		
CHIPOLA RIVER	OTTER CREEK	10	819	Coliform, Nutrients		Low	Group 2	2008		
CHIPOLA RIVER	MUDDY BRANCH	27	175	Dissolved Oxygen, Coliforms, Nutrients	Wastewater Facility at Florida Caverns State Park no longer discharges, but still have stormwater inputs.	High	Group 2	2003		
CHOCTAWHATCHEE BAY	INDIAN BAYOU (Old Pass Lagoon)	14	917	Dissolved Oxygen, Nutrients	This water segment includes Indian Bayou and was nominated for listing by district staff. Heavy development/marina/highway 98 runoff.	Low	Group 3	2009		
CHOCTAWHATCHEE BAY	CHOCTAWHATCHEE BAY	17	778D	Dissolved Oxygen, Nutrients	Dissolved Oxygen low due to upstream inputs and restricted flushing. SWIM Waterbody. Many ongoing studies. Old Pass Lagoon, Cinco, Garnier, and Boggy bayous impacted by development. This segment includes Destin Harbor.	High	Group 3	2004		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
CHOCTAWHATCHEE BAY	JOES BAYOU	18	906	Nutrients		Low	Group 3	2009		
CHOCTAWHATCHEE BAY	CHOCTAWHATCHEE BAY	24	778C	Biochemical Oxygen Demand, Coliforms, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)	Heavy growth in watershed. Shellfish areas impacted by bacteria and viral pathogen problems.	Low	Group 3	2009		
CHOCTAWHATCHEE BAY	CHOCTAWHATCHEE BAY	26	778B	Coliforms	SWIM waterbody	High	Group 3	2004		
CHOCTAWHATCHEE BAY	BOGGY BAYOU	42	692	Dissolved Oxygen		Low	Group 3	2009		
CHOCTAWHATCHEE BAY	LAFAYETTE CREEK	50	646	Coliforms		Low	Group 3	2009		
CHOCTAWHATCHEE RIVER	CHOCTAWHATCHEE RIVER	0	49E	Coliforms, Turbidity, Total Suspended Solids	This segment was listed because it is a SWIM waterbody. It was not evaluated in the 1996 305(b) report. However, based on the 1994 305(b) report the water quality at that time was good.	High	Group 3	2004	1999	Coliforms
CHOCTAWHATCHEE RIVER	BRUCE CREEK	11	343	Coliforms, Turbidity		Low	Group 3	2009	1999	Coliforms
CHOCTAWHATCHEE RIVER	CHOCTAWHATCHEE RIVER	14	49	Coliforms, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)	Coliforms from hog farms/ag. SWIM PLAN. Evaluation of Holmes Creek pollution by point sources.	High	Group 3	2004	1999	Coliforms
CHOCTAWHATCHEE RIVER	CAMP BRANCH	21	251	Coliforms, Nutrients, Turbidity		Low	Group 3	2009	1999	Coliforms
CHOCTAWHATCHEE RIVER	CHOCTAWHATCHEE RIVER	24	49F	Coliforms, Nutrients, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory)	Possible cause is runoff from Alabama agriculture upstream (no BMPs).	Low	Group 3	2009	1999	Coliforms
CHOCTAWHATCHEE RIVER	ALLIGATOR CREEK	26	123	Coliforms, Biochemical Oxygen Demand, Dissolved Oxygen, Nutrients, Turbidity		Low	Group 3	2009		
CHOCTAWHATCHEE RIVER	SIKES CREEK	27	142	Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity		Low	Group 3	2009	1999	Coliforms
CHOCTAWHATCHEE RIVER	FISH BRANCH (Minnow Creek)	28	130	Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity		Low	Group 3	2009		
CRYSTAL RIVER TO ST. PETE	CLAM BAYOU DRAIN	2	1716	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 5	2011		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
CRYSTAL RIVER TO ST. PETE	ST JOE CREEK	6	1668A	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Biochemical Oxygen Demand		High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	BONN CREEK (&Joe Creek & Cross Bayou Canal)	8	1668B (& 1668A)	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand		High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	PINELLAS PARK DITCH	9	1662	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	SOUTH CROSS CANAL (Cross Bayou Canal South)	11	1641		Listing of this water segment is based on the NPS survey.	High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	LAKE SEMINOLE	12	1618	Coliforms, Nutrients	Primarily stormwater.	High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	MCKAY CREEK	14	1633	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	DIRECT RUNOFF TO GULF (Clearwater Harbor)	16	1528	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	STEVENSON CREEK	17	1567	Dissolved Oxygen, Coliforms, Nutrients	Receiving water for Clearwater Marshall St. WWTP. Also highly urbanized.	High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	CEDAR CREEK	20	1556	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	CURLEW CREEK	22	1538	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	DIRECT RUNOFF TO GULF (Minnow Creek)	23	1535	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	SUTHERLAND BAYOU	24	1527 (1512)	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	HEALTH SPRING	25	1512	Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	KLOSTERMAN BAYOU RUN (Innisbrook Canal)	26	1508	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients		High	Group 5	2006		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
CRYSTAL RIVER TO ST. PETE	SPRING BAYOU	27	1440A (1440B)	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	HOLLIN CREEK	30	1475	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	SOUTH BRANCH (South Branch Anclote River)	32	1456	Dissolved Oxygen, Coliforms, Nutrients		High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	ANCLOTE RIVER	35	1440	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)	Biology looks very good. Drains swamp. Low flows.	Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	PITHLACHASCOTEE RIVER	37	1409	Dissolved Oxygen, Coliforms		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	CRYSTAL RIVER BAY	63	1345A		SWIM waterbody. Listing of this segment is based on biological sampling.	High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	CRYSTAL RIVER	73	1341I	Nutrients	This water was nominated by the SWFWMD. It is a SWIM Waterbody. The SWFWMD has established an interim PLRG holding the line on nutrients.	High	Group 5	2006		
EAST COAST MIDDLE	GOAT CREEK	7	3107	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
EAST COAST MIDDLE	INDIAN RIVER ABOVE SEBASTIAN INLET	8	2963A	Dissolved Oxygen, Silver, Lead, Cadmium, Selenium, Thallium, Nutrients, Mercury (Based on Fish Consumption Advisory)	SWIM water. Low dissolved oxygen probably due to natural variation.	High	Group 5	2006	2003/2011	nutrients/mercury
EAST COAST MIDDLE	DRAINED FARMLAND (C1, C69, C10)	10	3090	Dissolved Oxygen, Nutrients, Iron, Lead, Cadmium		Low	Group 5	2011		
EAST COAST MIDDLE	TURKEY CREEK	13	3098	Dissolved Oxygen, Nutrients	SWIM water. Part of Upper St. Johns Project. Army Corp. of Engineers redirecting flow to St. Johns which should improve creek. Also dredging the creek.	High	Group 5	2006	2003	nutrients
EAST COAST MIDDLE	CRANE CREEK	18	3085	Dissolved Oxygen, Coliforms, Nutrients	SWIM water. Grant St. WWTP used to discharge to creek. Now NPS and golf course. Plan to dredge the creek to remove sediments. Ponar samples recently taken indicate a poor biological community.	High	Group 5	2006	2002	nutrients
EAST COAST MIDDLE	CRANE CREEK	19	3085A	Iron, Nutrients	SWIM water. Sediment removal upstream (see above) should help.	High	Group 5	2006	2002	nutrients

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
EAST COAST MIDDLE	INDIAN RIVER ABOVE MELBOURNE CROSSWAY	20	2963B	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Indian River Lagoon SWIM Project.	High	Group 5	2006	2003/2011	nutrients/mercury
EAST COAST MIDDLE	EAU GALLIE RIVER	22	3082	Coliforms, Iron, Nutrients	SWIM water. Industrial area with NPS.	High	Group 5	2006	2002	nutrients
EAST COAST MIDDLE	HORSE CREEK	23	3081	Dissolved Oxygen		Low	Group 5	2011		
EAST COAST MIDDLE	INDIAN RIVER ABOVE MELBOURNE CROSSWAY	25	2963C	Nutrients, Mercury (Based on Fish Consumption Advisory)	Indian River Lagoon SWIM Project. Cocoa STP has increased reuse and now only have wet weather discharge. Recent Biology data is good. SJRWMD data analysis indicated a TSI in the fair category.	High	Group 5	2006	2003/2011	nutrients/mercury
EAST COAST MIDDLE	BANANA RIVER BELOW MATHERS	26	3057A	Dissolved Oxygen, Nutrients	Part of Indian River Lagoon SWIM project	High	Group 5	2006	2003	nutrients
EAST COAST MIDDLE	NEWFOUND HARBOR	27	3044A	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
EAST COAST MIDDLE	BANANA RIVER ABOVE 520 CROSSWAY	28	3057B	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	SWIM water. Analysis of data by SJRWMD indicated a TSI in the fair category.	High	Group 5	2006	2003/2011	nutrients/mercury
EAST COAST MIDDLE	SYKES CREEK/BARGE CANAL	29	3044B	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
EAST COAST MIDDLE	INDIAN RIVER ABOVE 520 CROSSWAY	30	2963D	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Indian River Lagoon SWIM Project. Cocoa STP has increased reuse and now only have wet weather discharge. Recent Biology data is good. SJRWMD data analysis indicated a TSI in the fair category.	High	Group 5	2006	2003/2011	nutrients/mercury
EAST COAST MIDDLE	BANANA RIVER ABOVE BARGE CANAL	31	3057C	Dissolved Oxygen		Low	Group 5	2011		
EAST COAST MIDDLE	ADDISON CANAL	32	3028		SWIM water. Really a canal. Receives Titusville South Wetlands Discharge, which has very good quality. Listed for NPS assessment only.	High	Group 5	2006		
EAST COAST MIDDLE	INDIAN RIVER ABOVE NASA CROSSWAY	33	2963E	Dissolved Oxygen		Low	Group 5	2011		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
EAST COAST MIDDLE	INDIAN RIVER ABOVE M. BREWER	34	2963F	Iron, Lead		Low	Group 5	2011		
EAST COAST MIDDLE	MOSQUITO LAGOON	37	2924B	Coliforms		Low	Group 5	2011		
EAST COAST UPPER	SPRUCE CREEK	2	2674	Dissolved Oxygen, Nutrients, Coliforms, Iron	Portions classified as an OFW.	High	Group 5	2006		
EAST COAST UPPER	SPRUCE CREEK	3	2674A	Dissolved Oxygen, Nutrients, Iron		High	Group 5	2006		
EAST COAST UPPER	ROSE BAY	5	2672	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 5	2011		
EAST COAST UPPER	UNNAMED DITCH (B-19 Canal)	7	2666	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
EAST COAST UPPER	TOMOKA RIVER	11	2634	Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead		Low	Group 5	2011		
EAST COAST UPPER	TOMOKA RIVER	13	2634A	Nutrients, Iron, Lead		Low	Group 5	2011		
EAST COAST UPPER	HALIFAX RIVER	17	2363A	Nutrients, Coliforms	TMDL for nutrients already completed.	Low	Group 5	2011		
EAST COAST UPPER	MATANZAS RIVER	21	2363I (& 2363H & 2205C)	Coliforms, Nutrients		Low	Group 5	2011		
EAST COAST UPPER	HALIFAX RIVER	23	2363B	Nutrients, Iron, Lead, Copper	TMDL for nutrients already completed.	Low	Group 5	2011		
EAST COAST UPPER	PELLICER CREEK	25	2580B	Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead		Low	Group 5	2011		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
EAST COAST UPPER	CRACKER BRANCH (Pellicer Creek)	27	2553	Dissolved Oxygen, Coliforms, Iron		Low	Group 5	2011		
EAST COAST UPPER	PALM COAST	32	2363D	Dissolved Oxygen, Coliforms, Nutrients, Thallium, Silver, Lead, Cadmium, Selenium		Low	Group 5	2011		
EAST COAST UPPER	GUANA RIVER	36	2320	Dissolved Oxygen, Coliforms		Low	Group 5	2011		
ECONFINA-FENHOLLOWAY	ROCKY CREEK	0	3489	Turbidity, Coliforms	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1	2002		
ECONFINA-FENHOLLOWAY	BEVINS (BOGGY) CREEK	4	3603	Dissolved Oxygen, Biochemical Oxygen Demand, Coliforms	Need to recalculate index as blackwater stream. Coliform probably due to wildlife.	Low	Group 1	2002		
ECONFINA-FENHOLLOWAY	STEINHATCHEE RIVER	8	3573B	Dissolved Oxygen		Low	Group 1	2002		
ECONFINA-FENHOLLOWAY	FENHOLLOWAY AT MOUTH	13	3473A	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand, Un-ionized Ammonia, Dioxin (Based on Fish Consumption Advisory)		High	Group 1	2002	2011	
ECONFINA-FENHOLLOWAY	FENHOLLOWAY BELOW PULP	14	3473B	Dissolved Oxygen, Nutrients, Total Suspended Solids, Un-ionized Ammonia, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)		High	Group 1	2002	2011	mercury
ECONFINA-FENHOLLOWAY	FENHOLLOWAY ABOVE PULP	17	3473C	Dissolved Oxygen, Nutrients	Need to recalculate index as blackwater stream. Drainage system highly modified by silviculture.	High	Group 1	2002		
ECONFINA-FENHOLLOWAY	ECONFINA RIVER	18	3402	Dissolved Oxygen, Coliforms, Cadmium	The Department may establish a Site Specific Alternative Criteria for Dissolved Oxygen.	Low	Group 1	2002		
ESCAMBIA RIVER	ESCAMBIA RIVER	2	10F	Coliforms, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		
ESCAMBIA RIVER	ESCAMBIA RIVER	4	10E	Coliforms, Dissolved Oxygen, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		
ESCAMBIA RIVER	ESCAMBIA RIVER	6	10D	Coliforms, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
ESCAMBIA RIVER	PINE BARREN CREEK	28	5	Coliforms, Turbidity		Low	Group 4 & 5	2011		
ESCAMBIA RIVER	LITTLE PINE BARREN CREEK	31	87	Coliforms, Turbidity		Low	Group 4 & 5	2011		
ESCAMBIA RIVER	BRAY MILL CREEK	40	36	Nutrients		Low	Group 4 & 5	2011		
ESCAMBIA RIVER	CANOE CREEK	41	7	Coliforms		Low	Group 4 & 5	2011		
ESCAMBIA RIVER	ESCAMBIA RIVER	42	10C	Coliforms, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		
ESCAMBIA RIVER	BIG ESCAMBIA CREEK	43	10	Coliforms, Total Suspended Solids, Turbidity		Low	Group 4 & 5	2011		
EVERGLADES-WEST COAST	EVERGLADES NATIONAL PARK SHARK SLOUGH	1	3289	Dissolved Oxygen, Iron, Mercury (Based on Fish Consumption Advisory), Nutrients		Low	Group 1	2007	2011	mercury
EVERGLADES-WEST COAST	EVERGLADES NATIONAL PARK L-67 CULVERT US41	4	3289J	Dissolved Oxygen, Iron		Low	Group 1	2007		
EVERGLADES-WEST COAST	EVERGLADES NATIONAL PARK TAYLOR SLOUGH	5	3289K	Dissolved Oxygen, Iron		Low	Group 1	2007		
EVERGLADES-WEST COAST	TAMIAMI CANAL	17	3261B	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory), Cadmium, Copper		Low	Group 1	2007	2011	
EVERGLADES-WEST COAST	NAPLES BAY	20	3259G	Nutrients	Urban/NPS - Is located in downtown Naples. Very little flushing.	Low	Group 1	2007		
EVERGLADES-WEST COAST	GORDON RIVER	26	3259C	Nutrients, Dissolved Oxygen, Biochemical Oxygen Demand, Coliforms	Urban/NPS - Inflows from canals in the area.	Low	Group 1	2007		
EVERGLADES-WEST COAST	LAKE TRAFFORD	30	3259W	Dissolved Oxygen, Nutrients	This segment was nominated for listing by the district due to fish kills near Immokalee. Has been poor in the past (305b), though not listed in 1994 305(b). Some restoration planned/ongoing (potential dredging).	Low	Group 1	2007		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
EVERGLADES-WEST COAST	COCOHATCHEE RIVER	31	3259A	Dissolved Oxygen, Coliforms, Biochemical Oxygen Demand		Low	Group 1	2007		
EVERGLADES-WEST COAST	IMPERIAL RIVER	35	3258E	Dissolved Oxygen, Nutrients		Low	Group 1	2007		
EVERGLADES-WEST COAST	ESTERO BAY	37	3258A (no WBID)	Nutrients	Upcoming Army Corp. of Engineers project may provide additional data. Site of New University.	Low	Group 1	2007		
EVERGLADES-WEST COAST	HENDRY CREEK	38	3258B	Dissolved Oxygen, Nutrients		Low	Group 1	2007		
EVERGLADES-WEST COAST	ESTERO BAY DRAINAGE	39	3258C		Listing of this water segment is based on the NPS survey.	Low	Group 1	2007		
EVERGLADES-WEST COAST	SPRING CREEK	41	3258H	Dissolved Oxygen, Nutrients		Low	Group 1	2007		
FISHEATING CREEK	HARNEY POND CANAL	2	3204	Dissolved Oxygen, Lead, Nutrients		Low	Group 4	2010		
FISHEATING CREEK	INDIAN PRAIRIE CANAL	3	3206	Dissolved Oxygen, Coliforms, Nutrients		High	Group 4	2005		
FLORDA KEYS	FLORIDA KEYS	0		Nutrients		Low	Group 5	2011		
HILLSBOROUGH RIVER	CHANNELIZED STREAM (Pemberton Creek)	0	1483	Nutrients, Coliforms	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1 & 2	2008		
HILLSBOROUGH RIVER	TWO HOLE BRANCH	0	1489	Nutrients, Turbidity, Biochemical Oxygen Demand, Coliforms	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1 & 2	2008		
HILLSBOROUGH RIVER	SPARKMAN BRANCH	2	1561	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Group 1 & 2	2003		
HILLSBOROUGH RIVER	MILL CREEK	4	1542A	Dissolved Oxygen, Coliforms, Nutrients, Un-ionized Ammonia, Lead	Plant City WWTP surface water discharge removed in 1997.	Low	Group 1 & 2	2008		
HILLSBOROUGH RIVER	HILLSBOROUGH RIVER	5	1443A	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		Low	Group 1 & 2	2008	2011	mercury

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
HILLSBOROUGH RIVER	HILLSBOROUGH RIVER	6	1443E	Nutrients, Mercury (Based on Fish Consumption Advisory), Coliforms	SWFWMD developed interim load reductions to reservoir.	High	Group 1 & 2	2003	2011	mercury
HILLSBOROUGH RIVER	LAKE HUNTER	7	1543	Nutrients		High	Group 1 & 2	2003		
HILLSBOROUGH RIVER	BAKER CREEK	10	1522C	Dissolved Oxygen, Coliforms, Lead, Nutrients, Turbidity	Flows into Lake Thonotosassa. Non-point/Ag.	High	Group 1 & 2	2003		
HILLSBOROUGH RIVER	PEMBERTON CREEK	11	1542	Dissolved Oxygen, Nutrients	Plant City WWTP discharge removed from tributary in 1997.	Low	Group 1 & 2	2008		
HILLSBOROUGH RIVER	LAKE THONOTOSASSA	16	1522B	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Lead	SWIM Waterbody. SWFWMD developed PLRG. Draft TMDL in 2/98.	High	Group 1 & 2	2003	1998	nutrients
HILLSBOROUGH RIVER	COW HOUSE CREEK	17	1534	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids	Drains swamp.	High	Group 1 & 2	2003		
HILLSBOROUGH RIVER	FLINT CREEK	18	1522A	Dissolved Oxygen, Coliforms, Lead, Nutrients, Turbidity, Biochemical Oxygen Demand	Drainage from Lake Thonotosassa.	High	Group 1 & 2	2003		
HILLSBOROUGH RIVER	HILLSBOROUGH RIVER	19	1443B	Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 1 & 2	2003	2011	mercury
HILLSBOROUGH RIVER	ITCHEPACKASASSA CREEK	21	1495B	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand		High	Group 1 & 2	2003		
HILLSBOROUGH RIVER	HILLSBOROUGH RIVER	26	1443D	Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 1 & 2	2003	2011	mercury
HILLSBOROUGH RIVER	BLACKWATER CREEK	27	1482	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand		High	Group 1 & 2	2003		
HILLSBOROUGH RIVER	CYPRESS CREEK	29	1402	Dissolved Oxygen, Coliforms, Nutrients	Goes to Hillsborough River. Residential/dairy. Drains swamp.	High	Group 1 & 2	2003		
HILLSBOROUGH RIVER	BIG DITCH	30	1469	Coliforms, Nutrients, Turbidity		Low	Group 1 & 2	2008		
HILLSBOROUGH RIVER	TROUT CREEK	32	1455	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
HILLSBOROUGH RIVER	CRYSTAL SPRINGS	36	1462A	Dissolved Oxygen, Nutrients		High	Group 1 & 2	2003		
HILLSBOROUGH RIVER	NEW RIVER	38	1442	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Group 1 & 2	2003		
INDIAN RIVER, SOUTH	BELCHER CANAL/TAYLOR CREEK	5	3163	Dissolved Oxygen, Nutrients	SWIM water. SFWMD plans to develop PLRG by 2001.	High	Group 5	2006	2002	nutrients
INDIAN RIVER, SOUTH	SOUTH INDIAN RIVER	14	5003C	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	SWIM water. SJRWMD plans to develop PLRG by 2001.	High	Group 5	2002	2002/2011	nutrients/mercury
INDIAN RIVER, SOUTH	SEBASTIAN RIVER	16	3129B	Dissolved Oxygen, Iron	SWIM water. SJRWMD plans to develop PLRG for salinity in 1998 and PLRG for nutrients in 2001.	High	Group 5	2002	2002	nutrients
INDIAN RIVER, SOUTH	SOUTH INDIAN RIVER	19	5003D	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	SWIM water. SJRWMD plans to develop PLRG by 2001.	High	Group 5	2002	2002/2011	nutrients/mercury
INDIAN RIVER, SOUTH	FELSMERE CANAL	20	3136	Dissolved Oxygen, Nutrients, Total Suspended Solids	SWIM water. SJRWMD plans to develop PLRG by 2001.	High	Group 5	2002	2002	nutrients
INDIAN RIVER, SOUTH	C-54 CANAL	22	3135	Dissolved Oxygen, Nutrients	SWIM water. SJRWMD plans to develop PLRG by 2001.	High	Group 5	2002	2002	nutrients
INDIAN RIVER, SOUTH	SEBASTIAN RIVER ABOVE INDIAN RIVER	25	3129A	Dissolved Oxygen, Nutrients	SWIM water. SJRWMD plans to develop PLRG for salinity in 1998 and PLRG for nutrients in 2001.	High	Group 5	2002	2002	nutrients
INDIAN RIVER, SOUTH	NORTH PRONG SEBASTIAN RIVER	26	3128	Dissolved Oxygen, Copper, Nutrients, Turbidity, Total Suspended Solids	Barefoot Bay WWTF now limited wet weather, but upstream is canals and citrus. SWIM water. SJRWMD plans to develop PLRG for salinity in 1998 and PLRG for nutrients in 2001.	High	Group 5	2002	2002	nutrients
KISSIMMEE RIVER	KISSIMMEE RIVER	1	3209	Dissolved Oxygen, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 4	2005		
KISSIMMEE RIVER	CHANDLER SLOUGH	7	3188A	Dissolved Oxygen, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 4	2005		
KISSIMMEE RIVER	S-65D	14	3188	Dissolved Oxygen, Nutrients	Part of Kissimmee River Wetland Restoration Project, PLRG Completed for nutrients.	High	Group 4	2005		
KISSIMMEE RIVER	OAK CREEK	15	3192C	Nutrients, Dissolved Oxygen, Coliforms	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 4	2005		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
KISSIMMEE RIVER	EIGHTMILE SLOUGH (Ice Cream Slough)	30	3186D (& 3186B)	Dissolved Oxygen		Low	Group 4	2010		
KISSIMMEE RIVER	KISSIMMEE RIVER	34	3186B	Dissolved Oxygen, Biochemical Oxygen Demand	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 4	2005		
KISSIMMEE RIVER	BLANKET BAY SLOUGH	35	3186C	Dissolved Oxygen, Nutrients	There is a potential we will delist this segment because it will be backfilled to restore natural wetland.	Low	Group 4	2010		
KISSIMMEE RIVER	LAKE KISSIMMEE SOUTH	38	3183E	Dissolved Oxygen, Lead, Cadmium, Mercury (Based on Fish Consumption Advisory)	Part of Upper Kissimmee Restoration Plan.	Low	Group 4	2010	2011	mercury
KISSIMMEE RIVER	LAKE MARIAN	41	3184	Nutrients		Low	Group 4	2010		
KISSIMMEE RIVER	LAKE KISSIMMEE MID	43	3183B	Mercury (Based on Fish Consumption Advisory)	Part of Upper Kissimmee Restoration Plan.	Low	Group 4		2011	mercury
KISSIMMEE RIVER	LAKE KISSIMMEE NORTH	47	3183A	Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)	Part of Upper Kissimmee Restoration Plan.	Low	Group 4	2010	2011	mercury
KISSIMMEE RIVER	KISSIMMEE RIVER	52	3186A	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand	Part of Upper Kissimmee Restoration Plan.	Low	Group 4	2010		
KISSIMMEE RIVER	LAKE CYPRESS	54	3180A	Nutrients, Mercury (Based on Fish Consumption Advisory)	Some restoration planned.	Low	Group 4	2010	2011	mercury
KISSIMMEE RIVER	DEAD RIVER	55	1472C	Nutrients, Turbidity	Turbidity very high. Could be due to cattle or boat traffic, or possibly sampling error.	High	Group 4	2005		
KISSIMMEE RIVER	CANOE CREEK	56	3181	Turbidity	There is a potential we will delist this segment because it will be backfilled to restore natural wetland.	Low	Group 4	2010		
KISSIMMEE RIVER	REEDY CREEK	58	3170A	Nutrients, Turbidity		High	Group 4	2005		
KISSIMMEE RIVER	LAKE TOHOPEKALIGA SOUTH	63	3173C	Un-ionized Ammonia, Nutrients, Mercury (Based on Fish Consumption Advisory)	All point sources removed, but should stay on list due to NPSs. Will be drawn down.	Low	Group 4	2010	2011	mercury
KISSIMMEE RIVER	HORSESHOE CREEK	64	1436	Dissolved Oxygen, Coliforms, Nutrients		High	Group 4	2005		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
KISSIMMEE RIVER	LAKE TOHOPEKALIGA NORTH	65	3173A	Un-ionized Ammonia, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010	2011	mercury
KISSIMMEE RIVER	REEDY CREEK	66	3170C	Dissolved Oxygen, Nutrients, Turbidity, Coliforms	Dissolved Oxygen naturally low because of swamps - have a SSAC. High turbidity likely due to construction. Very shallow station.	High	Group 4	2005		
KISSIMMEE RIVER	LAKE CENTER	70	3174	Dissolved Oxygen, Nutrients		Low	Group 4	2010		
KISSIMMEE RIVER	EAST LAKE TOHOPEKALIGA	72	3172	Mercury (Based on Fish Consumption Advisory)	Overall, very clean lake. Mercury from atmospheric deposition and good water quality. Boggy Creek (tributary to lake) recently modeled by an environmental consulting firm.	Low	Group 4		2011	mercury
KISSIMMEE RIVER	BONNET CREEK	73	3170D	Nutrients, Turbidity	NPS from Disney area. Turbidity data questionably high.	High	Group 4	2005		
KISSIMMEE RIVER	SHINGLE CREEK	75	3169A	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand		Low	Group 4	2010		
KISSIMMEE RIVER	LAKE HOLDEN	95	3168H	Nutrients, Un-ionized Ammonia		Low	Group 4	2010		
LAKE OKEECHOBEE	LAKE OKEECHOBEE	2	3212I	Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1		1999	nutrients
LAKE OKEECHOBEE	LAKE OKEECHOBEE	3	3212F	Dissolved Oxygen	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
LAKE OKEECHOBEE	LAKE OKEECHOBEE	4	3212G	Un-ionized Ammonia, Iron, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002	1999	nutrients
LAKE OKEECHOBEE	LAKE OKEECHOBEE	5	3212C	Dissolved Oxygen	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
LAKE OKEECHOBEE	LAKE OKEECHOBEE	6	3212D	Dissolved Oxygen, Un-ionized Ammonia, Iron, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002	1999	nutrients
LAKE OKEECHOBEE	LAKE OKEECHOBEE	7	3212E	Iron, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002	1999	nutrients
LAKE OKEECHOBEE	LAKE OKEECHOBEE	8	3212A	Dissolved Oxygen, Nutrients, Chlorides	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002	1999	nutrients

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
LAKE OKEECHOBEE	LAKE OKEECHOBEE	9	3212B	Coliforms, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002	1999	nutrients
LAKE OKEECHOBEE	S-135	10	3213C	Dissolved Oxygen, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
LAKE OKEECHOBEE	LETTUCE CREEK	11	3213A	Dissolved Oxygen, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
LAKE OKEECHOBEE	MYRTLE SLOUGH	12	3213D	Dissolved Oxygen, Nutrients, Coliforms	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
LAKE OKEECHOBEE	S-135 (Henry Creek)	13	3213B	Dissolved Oxygen, Nutrients, Coliforms	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
LITTLE MANATEE RIVER	SOUTH FORK LITTLE MANATEE RIVER	2	1790	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
LITTLE MANATEE RIVER	LITTLE MANATEE RIVER	17	1742A	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
MANATEE RIVER	CEDAR CREEK	3	1926	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		Low	Group 1 & 2	2008		
MANATEE RIVER	RATTLESNAKE SLOUGH	4	1923	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
MANATEE RIVER	BRADEN RIVER ABOVE WARD LAKE	5	1914	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		Low	Group 1 & 2	2008		
MANATEE RIVER	GAP CREEK	6	1899	Coliforms		High	Group 1 & 2	2003		
MANATEE RIVER	UNNAMED STREAM (Nonsense Creek)	8	1913	Dissolved Oxygen, Coliforms, Total Suspended Solids		Low	Group 1 & 2	2008		
MANATEE RIVER	WILLIAMS CREEK	13	1901	Coliforms		High	Group 1 & 2	2003		
MANATEE RIVER	MILL CREEK	19	1872	Coliforms		High	Group 1 & 2	2003		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
MANATEE RIVER	WARES CREEK	21	1848C	Biochemical Oxygen Demand, Coliforms	Bradenton STP going to reuse in future.	High	Group 1 & 2	2003		
MANATEE RIVER	GILLY CREEK	32	1840	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
MANATEE RIVER	GAMBLE CREEK	35	1819	Dissolved Oxygen, Coliforms, Turbidity, Nutrients		High	Group 1 & 2	2003		
MYAKKA RIVER	MYAKKA RIVER	8	1991C	Nutrients, Mercury (Based on Fish Consumption Advisory)	Low intensity land use. Rangeland/pasture areas addressed by conservation plans. Septic systems present.	High	Group 3	2001	2001/2011	nutrients/mercury
MYAKKA RIVER	UNNAMED CREEK (Spting Run)	11	2038	Nutrients	Area made up of native range, citrus, and small urban development. Septic systems present.	High	Group 3		2001	nutrients
MYAKKA RIVER	DEER PRAIRIE SLOUGH	24	2014	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand		Low	Group 3		2001	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand
MYAKKA RIVER	BIG SLOUGH CANAL	39	1976	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 3		2001	Dissolved Oxygen, Coliforms, Nutrients
MYAKKA RIVER	MYAKKA RIVER	44	1981B	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		Low	Group 3		2001	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids
MYAKKA RIVER	MUD LAKE SLOUGH	46	1958	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Group 3		2001	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended
MYAKKA RIVER	UPPER LAKE MYAKKA	47	1981C		Listing of this segment is based on biological sampling.	Low	Group 3		2001	
MYAKKA RIVER	OWEN CREEK	60	1933	Dissolved Oxygen, Coliforms, Turbidity, Nutrients, Total Suspended Solids		High	Group 3		2001	Dissolved Oxygen, Coliforms, Turbidity, Nutrients, Total Suspended
NASSAU RIVER	LITTLE MILL CREEK	0	2157	Turbidity, Coliforms, Nutrients	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 4	2010		
NASSAU RIVER	NASSAU RIVER	11	2148B	Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids, Coliforms	Not clear why nutrients are high. Large fraction of basin is wetlands and silviculture.	High	Group 4	2005		
NASSAU RIVER	ALLIGATOR CREEK	12	2153	Dissolved Oxygen, Nutrients	Listed based on very old data. Callahan STP has improved.	High	Group 4	2005		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
NASSAU RIVER	SOUTH AMELIA RIVER	13	2149	Nutrients		Low	Group 4	2010		
NASSAU RIVER	MILLS CREEK	14	2120A (&2156)	Nutrients, Coliforms	Silviculture is main land use.	High	Group 4	2005		
NASSAU RIVER	PLUMMER CREEK	16	2130	Nutrients, Turbidity, Dissolved Oxygen, Coliforms	Silviculture is main land use. Very small creek out of a swamp. Few observations.	High	Group 4	2005		
NEW RIVER	CROOKED RIVER	2	1251	Dissolved Oxygen, Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 2	2008		
NEW RIVER	WHISKEY GEORGE CREEK	3	1236	Dissolved Oxygen, Coliforms		Low	Group 2	2008		
OCHLOCKONEE RIVER	OCHLOCKONEE RIVER	1	1297A	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2007	2011	mercury
OCHLOCKONEE RIVER	BLACK CREEK	8	1024	Coliforms		Low	Group 1	2007		
OCHLOCKONEE RIVER	OCHLOCKONEE RIVER	9	1297B	Dissolved Oxygen, Coliforms, Nutrients, Turbidity	Problems likely due to impoundment (dam).	Low	Group 1	2007		
OCHLOCKONEE RIVER	MEGGINNIS ARM RUN	33	809	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Dissolved Oxygen		Low	Group 1	2007		
OCHLOCKONEE RIVER	HARBINWOOD ESTATES DRAIN	46	746	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand	Urban ditch. Lake Jackson watershed SWIM PLAN plus Skip Livingston's FSU studies. Septic tanks at high density in bad soils. Bacteria, TSS, and TP problems in Lake Jackson.	High	Group 1	2002		
OCHLOCKONEE RIVER	OCHLOCKONEE RIVER	49	1297E	Mercury (Based on Fish Consumption Advisory)	GFC - fish consumption advisory. Lake Iamonia WWTP. Lake Jackson stormwater and nutrients. Has SWIM Plan.	Low	Group 1		2011	mercury
OCHLOCKONEE RIVER	LITTLE RIVER	51	424	Coliforms, Nutrients, Turbidity, Total Suspended Solids		Low	Group 1	2007		
OCHLOCKONEE RIVER	JUNIPER CREEK	60	682	Coliforms, Nutrients, Turbidity		Low	Group 1	2007		
OCHLOCKONEE RIVER	LAKE IAMONIA	85	442	Nutrients, Coliforms	This segment was nominated for listing by the NW district. Spray Field, Urbanization.	High	Group 1	2002		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
OCHLOCKONEE RIVER	OCHLOCKONEE RIVER	88	1297F	Coliforms, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)	DEP Biologists noted erosion from farming during sampling event. Lake Jackson stormwater and nutrients.	Low	Group 1	2007	2011	mercury
OCHLOCKONEE RIVER	SWAMP CREEK	94	427	Coliforms, Nutrients, Turbidity, Total Suspended Solids		Low	Group 1	2007		
OKLAWAHA RIVER	DORA CANAL (Silver River Run)	0	2772	Nutrients, Turbidity, Biochemical Oxygen Demand	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1	2002		
OKLAWAHA RIVER	EXTENSION DITCH (DORA CANAL)	0	2831A	Nutrients	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1	2002		
OKLAWAHA RIVER	PALATKALAHA RIVER	12	2839 (& 2839G)	Dissolved Oxygen	Channelized ditch from marsh.	Low	Group 1	2002		
OKLAWAHA RIVER	LAKE APOPKA	19	2835B	Nutrients	PLRG for Lake from SJRWMD.	High	Group 1	2002		
OKLAWAHA RIVER	GOURD NECK SPRING	20	2835C	Nutrients	Part of Lake Apopka. Very high nitrogen.	High	Group 1	2002		
OKLAWAHA RIVER	APOPKA MARSH	22	2856	Dissolved Oxygen, Nutrients, Turbidity, Un-ionized Ammonia	Part of muck farm purchased by SJRWMD and converted to a marsh treatment system to reduce solids and phosphorus levels. Plan to expand the size of the treatment system.	High	Group 1	2002		
OKLAWAHA RIVER	LITTLE LAKE HARRIS	24	2838B	Dissolved Oxygen, Nutrients, Un-ionized Ammonia	Part of Upper Oklawaha Chain of Lakes SWIM study by WMD. Scheduled for PLRG for nutrients by 2002.	High	Group 1	2002		
OKLAWAHA RIVER	LAKE APOPKA OUTLET	25	2835A	Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Un-ionized Ammonia	Beauclair Canal - part of Lake Apopka.	High	Group 1	2002		
OKLAWAHA RIVER	LAKE CARLTON OUTLET	27	2837	Dissolved Oxygen, Nutrients, Un-ionized Ammonia	May be covered by Lake Apopka. Very poor water quality - nurseries and ag in general.	High	Group 1	2002		
OKLAWAHA RIVER	LAKE BEAUCLAIR OUTLET	28	2834B	Nutrients, Un-ionized Ammonia	SJRWMD plans to develop PLRG for the lake by 2002.	High	Group 1	2003		
OKLAWAHA RIVER	LAKE HARRIS	29	2838A	Nutrients, Lead, Un-ionized Ammonia, Selenium		Low	Group 1	2002		
OKLAWAHA RIVER	BLUE SPRINGS	30	2838C	Dissolved Oxygen, Nutrients, Cadmium		Low	Group 1	2002		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
OKLAWAHA RIVER	HOLIDAY SPRINGS	31	2838D	Dissolved Oxygen, Nutrients	Spring discharging to Lake Harris. SJRWMD plans to develop a PLRG for Lake Harris by 2002.	Low	Group 1	2002		
OKLAWAHA RIVER	HELENA RUN	33	2832	Dissolved Oxygen, Nutrients, Turbidity, Un-ionized Ammonia, Total Suspended Solids		Low	Group 1	2002		
OKLAWAHA RIVER	LAKE DORA	34	2831	Nutrients, Lead, Silver, Un-ionized Ammonia	SWIM water. SJRWMD to develop PLRG by 2002.	High	Group 1	2003		
OKLAWAHA RIVER	LAKE GRIFFIN	38	2814	Nutrients, Un-ionized Ammonia	SWIM water. SJRWMD to develop PLRG by 2002. Emeraldal Muck Farms purchased by WMD.	High	Group 1	2003		
OKLAWAHA RIVER	LAKE EUSTIS	40	2817B	Nutrients, Lead, Un-ionized Ammonia		Low	Group 1	2002		
OKLAWAHA RIVER	TROUT LAKE OUTLET	42	2819	Nutrients	Data from 1990 - trailer park STP removed since and water quality much better, but new biology data still indicates fair.	Low	Group 1	2002		
OKLAWAHA RIVER	HAYNES CREEK REACH	43	2817A	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand	This canal between Lake Eustis and Lake Griffin is really part of Lake Griffin. Will be addressed by PLRG for Lake.	Low	Group 1	2002		
OKLAWAHA RIVER	NONCONTRIBUTING AREA	45	2809	Dissolved Oxygen, Nutrients, Turbidity	Now part of Lake Griffin flow-way.	Low	Group 1	2002		
OKLAWAHA RIVER	IRRIGATED FARM (Knight Farm)	47	2811	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 1	2002		
OKLAWAHA RIVER	LAKE YALE CANAL (Yale-Griffin Canal)	48	2807	Dissolved Oxygen, Lead, Un-ionized Ammonia		Low	Group 1	2002		
OKLAWAHA RIVER	OKLAWAHA RIV ABOVE DAISY	68	2740D	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)	Includes Lake Griffin and Sunny Hill discharge.	Low	Group 1	2002	2011	
OKLAWAHA RIVER	DAISY CREEK	90	2769	Dissolved Oxygen, Nutrients, Turbidity, Coliforms, Iron	Intermittent stream that drains sod farm.	High	Group 1	2002		
OKLAWAHA RIVER	OKLAWAHA RIVER ABOVE LAKE OKLAWAHA	91	2740C	Dissolved Oxygen, Coliforms, Nutrients, Lead, Cadmium, Selenium, Silver, Mercury (Based on Fish Consumption Advisory)	Biology good. High TC and low Dissolved Oxygen may be due to springs. Silver Springs/Silver Run may be getting better due to cattle removal.	Low	Group 1	2002	2011	mercury
OKLAWAHA RIVER	ORANGE CREEK	99	2747	Coliforms, Iron, Nutrients	Biology data was excellent. Upstream farms may be responsible for nutrient surges and will be purchased by the SJRWMD. Part of the Orange Creek Basin Surface Water Management Plan by the SJRWMD. Iron may be naturally high in this area.	Low	Group 1	2002		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
OKLAWAHA RIVER	ORANGE LAKE REACH	103	2749	Dissolved Oxygen, Nutrients, Lead, Un-ionized Ammonia		Low	Group 1	2002		
OKLAWAHA RIVER	LAKE OCKLAWAHA	105	2740B	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011		
OKLAWAHA RIVER	OKLAWAHA RIVER ABOVE ST. JOHNS RIVER	109	2740A	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)	Drains swamp.	Low	Group 1	2002	2011	mercury
OKLAWAHA RIVER	OKLAWAHA RIVER/SUNNYHILL	111	2740F	Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms	It is now public land owned and managed by the SJRWMD. Ongoing restoration efforts includes physical restoration of natural river channel.	Low	Group 1	2002		
OKLAWAHA RIVER	CROSS CREEK	112	2754	Dissolved Oxygen, Nutrients, Total Suspended Solids, Biochemical Oxygen Demand	Included in the Orange Creek Basin Surface Water Management Plan by the SJRWMD. Drains Lake Lochloosa - very eutrophic lake for the past 4 years.	High	Group 1	2002		
OKLAWAHA RIVER	LOCHLOOSA LAKE	113	2738	Dissolved Oxygen, Un-ionized Ammonia, Nutrients		High	Group 1	2002		
OKLAWAHA RIVER	WAUBERG (not WALBERG) LAKE OUTLET	115	2741	Nutrients	Recent biology data indicated very eutrophic (chlorophylls in 80s) Canfield said "naturally eutrophic."	High	Group 1	2002		
OKLAWAHA RIVER	ALACHUA SINK	127	2720	Nutrients	Gainesville Mainstreet WWTF has upgraded treatment to reduce nutrient levels.	High	Group 1	2002		
OKLAWAHA RIVER	KANAPAHA LAKE	131	2717	Nutrients	Sampling by SJRWMD in 1994 indicated the lake was macrophyte dominated.	High	Group 1	2002		
OKLAWAHA RIVER	TUMBLING CREEK	133	2718A	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 1	2002		
OKLAWAHA RIVER	NEWNANS LAKE	134	2705	Nutrients, Un-ionized Ammonia	Part of the Orange Creek Basin Surface Water Management Plan by the SJRWMD. SJRWMD purchased 10,000 acres in the north end of the lake. NE District completed biological assessment in fall 1997.	High	Group 1	2002		
OKLAWAHA RIVER	LAKE ALICE	136	2719	Nutrients	Used to be very eutrophic. The University of Florida WWTF upgraded treatment to AWT and eliminated discharge in January, 1995. Remaining contribution is from stormwater.	High	Group 1	2002		
OKLAWAHA RIVER	SWEETWATER BRANCH	137	2711	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients		Low	Group 1	2002		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
OKLAWAHA RIVER	HOGTOWN CREEK	139	2698	Coliforms, Nutrients		Low	Group 1	2002		
OKLAWAHA RIVER	HATCHET CREEK	142	2688	Coliforms, Nutrients, Iron, Chemical Oxygen Demand, Dissolved Oxygen		Low	Group 1	2002		
PEACE RIVER	MYRTLE SLOUGH	1	2054	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms	Dissolved Oxygen SSAC for upper reach. Ongoing WQ modeling for discharge relocation.	Low	Group 3	2008		
PEACE RIVER	PEACE RIVER LOWER ESTUARY	4	2056A	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 3	2008	2011	mercury
PEACE RIVER	PEACE RIVER MID ESTUARY	9	2056B	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 3	2008	2011	mercury
PEACE RIVER	PRAIRIE CREEK	20	1962	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 3	2008		
PEACE RIVER	HAWTHORNE CREEK	23	1997	Coliforms, Nutrients		Low	Group 3	2008		
PEACE RIVER	MYRTLE SLOUGH	24	1995	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms		Low	Group 3	2008		
PEACE RIVER	PEACE RIVER ABOVE JOSHUA CREEK	30	1623C	Dissolved Oxygen, Nutrients, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004	2011	mercury
PEACE RIVER	HORSE CREEK ABOVE PEACE RIVER	31	1787A	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 3	2008		
PEACE RIVER	BRANDY BRANCH	34	1939	Nutrients		High	Group 3	2004		
PEACE RIVER	BEAR BRANCH	35	1948	Dissolved Oxygen, Nutrients		Low	Group 3	2008		
PEACE RIVER	C WILL OUTFALL AT CONV	36	1939A	Dissolved Oxygen, Nutrients		High	Group 3	2004		
PEACE RIVER	LIMESTONE CREEK	37	1921	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		High	Group 3	2004		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
PEACE RIVER	PEACE RIVER ABOVE CHARLIE CREEK	39	1623D	Coliforms, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004	2011	mercury
PEACE RIVER	PEACE RIVER ABOVE OAK CREEK	41	1623E	Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004	2011	mercury
PEACE RIVER	ALLIGATOR BRANCH	44	1871	Dissolved Oxygen, Coliforms, Nutrients		High	Group 3	2004		
PEACE RIVER	THOMPSON BRANCH	50	1844	Coliforms, Nutrients		Low	Group 3	2008		
PEACE RIVER	LITTLE CHARLIE CREEK	54	1774	Coliforms, Nutrients		Low	Group 3	2008		
PEACE RIVER	PAYNE CREEK	55	1757A	Dissolved Oxygen, Nutrients		Low	Group 3	2008		
PEACE RIVER	PAYNE CREEK	56	1757B	Coliforms, Nutrients		Low	Group 3	2008		
PEACE RIVER	PEACE RIVER ABOVE PAYNE CREEK	57	1623H	Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004	2011	mercury
PEACE RIVER	WHIDDEN CREEK	61	1751	Nutrients, Turbidity, Total Suspended Solids, Dissolved Oxygen	FDEP is working on WQ study.	High	Group 3	2004		
PEACE RIVER	PEACE RIVER ABOVE BOWLEGS CREEKK	66	1623J	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004	2011	mercury
PEACE RIVER	PEACE CREEK TRIBUTARY CANAL	68	1613	Dissolved Oxygen, Coliforms, Nutrients, Turbidity	An artificial canal through a swamp. May receive Lake Wales WWTP effluent which is going offline.	High	Group 3	2004		
PEACE RIVER	WEST WALES DRAINAGE CANAL	71	1626	Dissolved Oxygen, Nutrients, Turbidity	Canal through swamp.	High	Group 3	2004		
PEACE RIVER	LAKE EFFIE OUTLET	73	1617	Nutrients	Nominated for SWIM waterbody by SWFWMD.	High	Group 3	2004		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
PEACE RIVER	SADDLE CREEK BELOW LAKE HANCOCK	74	1623K	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients, Turbidity, Total Suspended Solids		High	Group 3	2004		
PEACE RIVER	LAKE HANCOCK	79	1623L	Dissolved Oxygen, Un-ionized Ammonia, Nutrients		High	Group 3	2004		
PEACE RIVER	WAHNETA FARMS DRAIN CANAL	81	1580	Dissolved Oxygen, Coliforms, Nutrients, Turbidity		High	Group 3	2004		
PEACE RIVER	BANANA LAKE	83	1549B	Dissolved Oxygen, Un-ionized Ammonia, Fluoride, Nutrients	SWIM Waterbody. SWFWMD developed interim PLRG in 1995. Plan on developing final PLRG in 1998.	High	Group 3	2004		
PEACE RIVER	LAKE ELOISE	85	1521B	Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	LAKE LULU RUN	87	1521C		Listing of the water was based on the NPS Survey.	High	Group 3	2004		
PEACE RIVER	LAKE LULU OUTLET	89	1521	Dissolved Oxygen, Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	LAKE SHIPP	91	1521D	Dissolved Oxygen, Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	BANANA LAKE CANAL	92	1549A	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids	SWIM Waterbody. See comments for Banana Lake.	High	Group 3	2004		
PEACE RIVER	LAKE MAY	93	1521E	Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	CRYSTAL LAKE	95	1497A	Dissolved Oxygen, Un-ionized Ammonia, Nutrients		Low	Group 3	2008		
PEACE RIVER	LAKE LENA RUN	96	1501A	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Group 3	2004		
PEACE RIVER	PEACE CREEK DRAIN CANAL	97	1539	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004	2011	mercury

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
PEACE RIVER	LAKE MIRROR	99	1521G	Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	LAKE CANNON	100	1521H	Dissolved Oxygen, Coliforms, Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	LAKE BONNY	101	1497E	Nutrients		High	Group 3	2004		
PEACE RIVER	LAKE SMART	102	1488A	Dissolved Oxygen, Un-ionized Ammonia, Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	SADDLE CREEK	104	1497	Dissolved Oxygen, Coliforms, Nutrients		High	Group 3	2004		
PEACE RIVER	LAKE HOWARD	105	1521F	Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	LAKE JESSIE	108	1521K	Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	LAKE PARKER	109	1497B	Nutrients		High	Group 3	2004		
PEACE RIVER	LAKE LENA	110	1501	Nutrients		High	Group 3	2004		
PEACE RIVER	LAKE HAINES	113	1488C	Dissolved Oxygen, Coliforms, Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	LAKE ARIANNA	116	1501B	Nutrients		Low	Group 3	2008		
PEACE RIVER	LAKE TENOROC	117	1497C	Dissolved Oxygen		Low	Group 3	2008		
PEACE RIVER	LAKE ALFRED	118	1488D	Dissolved Oxygen, Nutrients		Low	Group 3	2008		
PENSACOLA BAY	BAYOU GARCON	0	987	Dissolved Oxygen, Color	Low Transparency	High	Group 4 & 5	2006		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
PENSACOLA BAY	PENSACOLA BAY	2	548E	Copper, Lead, Biochemical Oxygen Demand, Nutrients, Turbidity, Total Suspended Solids	Various studies by USGS, US Minerals Management Services, NOAA, EPA, Champion International on Escambia Bay and Santa Rosa Sound.	High	Group 4 & 5	2006		
PENSACOLA BAY	JONES CREEK	8	846A	Coliforms, Dissolved Oxygen, Nutrients, Turbidity		Low	Group 4 & 5	2011		
PENSACOLA BAY	BAYOU CHICO	12	846	Coliforms, Dissolved Oxygen, Nutrients		High	Group 4 & 5	2006		
PENSACOLA BAY	PENSACOLA BAY	13	548C	Coliforms		High	Group 4 & 5	2006		
PENSACOLA BAY	JACKSON CREEK	14	846B	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity	Poor water quality due to urbanized nature. Generally low priority.	Low	Group 4 & 5	2011		
PENSACOLA BAY	BAYOU GRANDE	17	740	Coliforms, Dissolved Oxygen		High	Group 4 & 5	2006		
PENSACOLA BAY	EAST RIVER BAY (East River Bay)	18	701	Coliforms, Turbidity		Low	Group 4 & 5	2011		
PENSACOLA BAY	TEXAR BAYOU	21	738	Coliforms	NPS poor.	Low	Group 4 & 5	2011		
PENSACOLA BAY	ESCAMBIA BAY (S)	23	548B	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity	Bayou Chico has sedimentation and water quality problems. Bayou Texar the same plus chemical pollution from EPA Superfund site. Bayou Grande OK but future development may affect it. Gulf Breeze peninsular has sprayfield problems.	High	Group 4 & 5	2006		
PENSACOLA BAY	DIRECT RUNOFF TO BAY (Escambia Bay, Mulatto Bayou, Indian Bayou)	26	639		Listing of the water was based on the NPS Survey.	High	Group 4 & 5	2006		
PENSACOLA BAY	CARPENTER CREEK	28	676	Coliforms		Low	Group 4 & 5	2011		
PENSACOLA BAY	TROUT BAYOU	29	694	Coliforms, Dissolved Oxygen		Low	Group 4 & 5	2011		
PENSACOLA BAY	INDIAN BAYOU	32	649	Coliforms, Dissolved Oxygen		Low	Group 4 & 5	2011		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
PENSACOLA BAY	DIRECT RUNOFF TO BAY (Mulatto Bayou, Escambia Bay)	33	666		Listing of the water was based on the NPS Survey.	High	Group 4 & 5	2006		
PENSACOLA BAY	ESCAMBIA BAY	36	548A	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity		High	Group 4 & 5	2006		
PENSACOLA BAY	MULATTO BAYOU	41	539	Coliforms, Dissolved Oxygen, Nutrients		Low	Group 4 & 5	2011		
PENSACOLA BAY	JUDGES BAYOU	43	493	Dissolved Oxygen, Nutrients		Low	Group 4 & 5	2011		
PENSACOLA BAY	PACE MILL CREEK (Escambia River)	46	420	Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity		Low	Group 4 & 5	2011		
PERDIDO BAY	DIRECT RUNOFF TO BAY (Big Lagoon)	4	991	Dissolved Oxygen		Low	Group 4 & 5	2011		
PERDIDO BAY	UNNAMED STREAM (Weekly Bayou Creek)	9	935	Dissolved Oxygen		Low	Group 4 & 5	2011		
PERDIDO BAY	PERDIDO BAY	12	797	Dissolved Oxygen, Nutrients		Low	Group 4 & 5	2011		
PERDIDO BAY	MARCUS CREEK	14	697	Coliforms		Low	Group 4 & 5	2011		
PERDIDO BAY	DIRECT RUNOFF TO BAY (Tee Lake/Perdido Bay)	17	784		The is a potential we will delist this segment as it is actually just a contributing area to Perdido Bay and will be addressed in the TMDL for the bay. Listing of this segment is based on the non-point source qualitative assessment.	Low	Group 4 & 5	2011		
PERDIDO BAY	UNNAMED BRANCH (Marcus Creek-East Arm)	19	725	Coliforms		Low	Group 4 & 5	2011		
PERDIDO BAY	EIGHTMILE CREEK	21	624	Coliforms, Turbidity		Low	Group 4 & 5	2011		
PERDIDO BAY	ELEVENMILE CREEK	22	489	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Dissolved Oxygen, Coliforms, Un-ionized Ammonia	BioRecon data available (most tributaries were poor).	High	Group 4 & 5	2006		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
PERDIDO RIVER	PERDIDO RIVER	1	462A (462B & 462C)	Coliforms, Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		
PERDIDO RIVER	PERDIDO RIVER	4	462B	Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		
PERDIDO RIVER	PERDIDO RIVER	9	462C	Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		
PERDIDO RIVER	JACKS BRANCH	11	291	Coliforms, Dissolved Oxygen, Turbidity		Low	Group 4 & 5	2011		
PERDIDO RIVER	BRUSHY CREEK	36	4	Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity		Low	Group 4 & 5	2011		
SANTA FE RIVER	ROCKY CREEK	6	3641	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 1	2007		
SANTA FE RIVER	LAKE ROWELL	27	3598B	Nutrients		Low	Group 1	2007		
SANTA FE RIVER	HAMPTON LAKE	31	3635A	Dissolved Oxygen		Low	Group 1	2007		
SANTA FE RIVER	SANTA FE RIVER	37	3605A	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Several springs have been identified as having elevated nitrate concentrations.	Low	Group 1	2007	2011	mercury
SANTA FE RIVER	SANTA FE RIVER	38	3605B	Dissolved Oxygen, Nutrients	Several springs have been identified as having elevated nitrate concentrations.	Low	Group 1	2007		
SANTA FE RIVER	SANTA FE RIVER	39	3605C	Dissolved Oxygen, Nutrients	Several springs have been identified as having elevated nitrate concentrations.	Low	Group 1	2007		
SANTA FE RIVER	ALTHO DRAINAGE	42	3605F	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2007	2011	mercury
SANTA FE RIVER	FIVEMILE CREEK	47	3578	Dissolved Oxygen, Coliforms, Nutrients	Sampling station relocated upstream to braided stream section. TP probably elevated due to geology (Hawthorne outcrop). Is a tributary to New River.	Low	Group 1	2007		
SANTA FE RIVER	ICHETUCKNEE SPRING	49	3519Z	Dissolved Oxygen, Nutrients	Ichetucknee Water Quality Workgroup is focusing efforts on this basin.	Low	Group 1	2007		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
SANTA FE RIVER	NEW RIVER	50	3506	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1	2007		
SANTA FE RIVER	ALLIGATOR LAKE	54	3516	Coliforms, Nutrients	Is a SWIM water, but do not have PLRG development schedule. Lake City STP used to discharge to lake, and now stormwater runoff is main problem. Sinkhole intermittently drains the lake.	Low	Group 1	2007		
SARASOTA BAY	CORAL CREEK EAST BRANCH	4	2078B	Dissolved Oxygen, Nutrients, Lead, Cadmium, Copper, Zinc		Low	Group 3	2008		
SARASOTA BAY	LEMON BAY	14	1983A	Dissolved Oxygen, Nutrients		Low	Group 3	2008		
SARASOTA BAY	GOTTFRIED CREEK	17	2049	Dissolved Oxygen, Nutrients	Eastern portion in Ag use and addressed by conservation plans. Western portion is highly developed urban area.	High	Group 3	2004		
SARASOTA BAY	FORKED CREEK	18	2039	Nutrients	Eastern portion in Ag use and addressed by conservation plans. Western portion is highly developed urban area.	High	Group 3	2004		
SARASOTA BAY	DIRECT RUNOFF TO BAY (Alligator Creek)	19	2042	Nutrients	Eastern portion in Ag use and addressed by conservation plans. Western portion is highly developed urban area.	High	Group 3	2004		
SARASOTA BAY	ALLIGATOR CREEK	21	2030	Nutrients	Eastern portion in Ag use and addressed by conservation plans. Western portion is highly developed urban area.	High	Group 3	2004		
SARASOTA BAY	CURRY CREEK	27	2009A	Nutrients	Problems appear to be related to urban development.	High	Group 3	2004		
SARASOTA BAY	NORTH CREEK	34	1984A	Nutrients	Urban development	High	Group 3	2004		
SARASOTA BAY	SOUTH CREEK	36	1982A	Nutrients	Urban development	High	Group 3	2004		
SARASOTA BAY	LITTLE SARASOTA BAY	39	1968E	Nutrients	Urban development.	High	Group 3	2004		
SARASOTA BAY	CATFISH CREEK	40	1984	Nutrients	Increased development in area.	High	Group 3	2004		
SARASOTA BAY	CLOWERS CREEK (Segment 24.1 CA)	41	1975A	Nutrients, Turbidity, Coliforms		High	Group 3	2004		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
SARASOTA BAY	ELLIGRAW BAYOU	44	1975	Nutrients, Dissolved Oxygen, Coliforms	Urban development.	High	Group 3	2004		
SARASOTA BAY	CLARK LAKE\UNNAMED DITCH	45	1971	Nutrients	Urban development.	High	Group 3	2004		
SARASOTA BAY	ROBERTS BAY	46	1968D	Nutrients	Urban development.	High	Group 3	2004		
SARASOTA BAY	SARASOTA BAY	49	1968C	Nutrients	SWIM water. PLRG completed by SWFWMD	High	Group 3	2004		
SARASOTA BAY	PHILIPPE CREEK	52	1947	Nutrients	Urban development.	High	Group 3	2004		
SARASOTA BAY	MAIN A CANAL	53	1947A (1947)	Nutrients, Dissolved Oxygen, Coliforms	Urban development.	High	Group 3	2004		
SARASOTA BAY	HUDSON BAYOU	55	1953	Nutrients	Urban development.	High	Group 3	2004		
SARASOTA BAY	DIRECT RUNOFF TO BAY (Little Sarasota Bay)	56	1951	Nutrients	SWIM water. PLRG completed by SWFWMD	High	Group 3	2004		
SARASOTA BAY	DIRECT RUNOFF TO BAY (Buttonwood Harbor/Sarasota Bay)	57	1916	Dissolved Oxygen	SWIM water. PLRG completed by SWFWMD	High	Group 3	2004		
SARASOTA BAY	PHILIPPI CREEK	58	1937	Dissolved Oxygen, Coliforms, Nutrients	Urban development.	Low	Group 3	2008		
SARASOTA BAY	WHITAKER BAYOU	59	1936	Nutrients	Urban development.	High	Group 3	2004		
SARASOTA BAY	DIRECT RUNOFF TO GULF (Whitaker Bayou, Big Sarasota Bay)	60	1931	Nutrients	SWIM water.	High	Group 3	2004		
SARASOTA BAY	SARASOTA BAY	61	1968B	Nutrients	SWIM water. PLRG completed by SWFWMD	High	Group 3	2004		
SOUTHEAST FLORIDA COAST	FLORIDA BAY	0		Nutrients, Chlorides, Dissolved Oxygen	This segment includes Barnes Sound	Low	Group 4	2010		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
SOUTHEAST FLORIDA COAST	LONG SOUND	1	6005	Dissolved Oxygen		Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	C-111	4	3303	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Group 5	2011	2011	mercury
SOUTHEAST FLORIDA COAST	C-113	5	3303A	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	TRANSECT T3	7	3303C	Dissolved Oxygen		Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	MILITARY CANAL	12	3304	Lead, Cadmium, Copper	Heavy metals from Homestead Airforce Base. Suggested by DEP-Tallahassee	Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	AREA B TAMIAMI CANAL	23	3286B	Dissolved Oxygen, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	WCA3B	25	3278	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	High	Group 5	2006	2011	mercury
SOUTHEAST FLORIDA COAST	WCA3B S-333	26	3278A	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WCA3B MIAMI CANAL	27	3278B	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	C-6/MIAMI RIVER	28	3288 (3290 & 6001)	Dissolved Oxygen, Coliforms	Canal located in highly urbanized area in Miami.	Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	WAGNER CREEK	29	3288A	Dissolved Oxygen, Coliforms, Nutrients		High	Group 4	2005		
SOUTHEAST FLORIDA COAST	C-7/LITTLE RIVER	30	3287	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	C-8/BISCAYNE CANAL	31	3285	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	SNAKE CREEK CANAL WEST	32	3284	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010	2011	mercury

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
SOUTHEAST FLORIDA COAST	HOLLYWOOD CANAL	34	3282	Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	WCA3A CENTER SECTOR	35	3268	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	Low	Group 5	2011	2011	mercury
SOUTHEAST FLORIDA COAST	WCA3A US27 PERIMETER	36	3268A	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WCA3A NORTH SECTOR	37	3268B	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	SOUTH NEW RIVER CANAL	40	3279	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	NORTH NEW RIVER CANAL	43	3280C	Dissolved Oxygen, Nutrients, Coliforms		High	Group 4	2005		
SOUTHEAST FLORIDA COAST	C-11 EAST	44	3281	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	NORTH NEW RIVER CANAL	46	3277	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	SOUTH NEW RIVER CANAL	47	3277A	Dissolved Oxygen, Coliforms, Nutrients,		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	EAST HOLLOWAY CANAL	48	3277B	Nutrients, Dissolved Oxygen, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms	Canal located in highly urbanized area in West Fort Lauderdale.	High	Group 4	2005		
SOUTHEAST FLORIDA COAST	C-12	50	3276	Dissolved Oxygen, Coliforms		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	L-28 GAP	51	3269	Dissolved Oxygen		Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	CONSERVATION AREA 2B	53	3272	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	C-13 WEST/MIDDLE RIVER	55	3273	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
SOUTHEAST FLORIDA COAST	POMPANO CANAL	56	3271	Nutrients	Canal located in highly urbanized area .	High	Group 4	2005		
SOUTHEAST FLORIDA COAST	PPOMPANO CANAL/CYPRESS	57	3270	Dissolved Oxygen, Coliforms		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	L-28 INTERCEPTOR	58	3266	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WCA2A EAST SECTOR	59	3265	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WCA2A S-10 PERIMETER	60	3265A	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WCA2A SOUTHWEST PERIMETER	61	3265B	Dissolved Oxygen, Coliforms, Nutrients, Cadmium	Everglades Forever Act will address water quality.	High	Group 5	2006		
SOUTHEAST FLORIDA COAST	WCA2A L-35B PERIMETER	62	3265C	Dissolved Oxygen, Cadmium, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WCA2A CENTER SECTOR	64	3265E	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	E-1 CANAL	66	3264A	Dissolved Oxygen, Nutrients, Coliforms	Everglades Forever Act will address water quality.	Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	E-4 CANAL	69	3264D	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	S-7	70	3263	Dissolved Oxygen, Mercury, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	High	Group 5	2006	2011	mercury
SOUTHEAST FLORIDA COAST	HOLEY LANDS	71	3263A	Nutrients		Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	S-8	72	3260	Dissolved Oxygen, Mercury, Nutrients, Mercury (Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	High	Group 5	2006	2011	mercury

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
SOUTHEAST FLORIDA COAST	L-3	73	3260A	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	HOLEY LANDS	74	3260B	Nutrients		Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	LAKE IDA	76	3262A	Dissolved Oxygen, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	E-3 CANAL	79	3262D	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	WCA1 CENTER SECTOR	80	3252	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	KNIGHTS FARM FIELD1	81	3252A	Nutrients	Everglades Forever Act will address water quality.	High	Group 5	2006		
SOUTHEAST FLORIDA COAST	KNIGHTS FARM FIELD3	82	3252B	Nutrients	Everglades Forever Act will address water quality.	High	Group 5	2006		
SOUTHEAST FLORIDA COAST	WCA1 NORTH SECTOR	83	3252C	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids	Everglades Forever Act will address water quality.	High	Group 5	2006		
SOUTHEAST FLORIDA COAST	WCA1 WEST SECTOR	84	3252D	Dissolved Oxygen	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WCA1 SOUTH SECTOR	85	3252E	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WCA1 EAST SECTOR	86	3252F	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	HILLSBORO CANAL	88	3254	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	LAKE OSBORNE	90	3256A	Dissolved Oxygen, Coliforms		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	BOYTON CANAL	91	3256B	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 4	2010		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
SOUTHEAST FLORIDA COAST	CANAL E-4	93	3256D	Coliforms, Turbidity, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	NORTH NEW RIVER CANAL	94	3248	Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients already developed. There is a potential this segment will be delisted because the Everglades Forever Act will address water quality.	High	Group 5	2005	2011	
SOUTHEAST FLORIDA COAST	HILLSBORO CANAL	95	3248A	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients, Turbidity	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	S-3	96	3251	Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients already developed. There is a potential this segment will be delisted because the Everglades Forever Act will address water quality.	High	Group 5	2005	2011	
SOUTHEAST FLORIDA COAST	SOUTH BAY	97	3253	Dissolved Oxygen, Un-ionized Ammonia, Nutrients	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients already developed. There is a potential this segment will be delisted because the Everglades Act will address water quality.	High	Group 5	2005		
SOUTHEAST FLORIDA COAST	S-236	98	3250	Dissolved Oxygen, Un-ionized Ammonia, Nutrients	There is a potential this segment will be delisted because the Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	C-51	99	3245	Dissolved Oxygen, Coliforms, Nutrients, Iron		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	C-21	100	3246	Dissolved Oxygen, Nutrients	There is a potential this segment will be delisted because the Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WEST PALM BEACH CANAL	102	3238	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients already developed. Biological sampling indicated impairment. There is a potential this segment will be delisted because the Everglades Forever Act will address water quality.	High	Group 5	2005	2011	
SOUTHEAST FLORIDA COAST	M CANAL	105	3238E	Dissolved Oxygen, Nutrients	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients already developed. Biological sampling indicated impairment. There is a potential this segment will be delisted because the Everglades Forever Act will address water quality.	High	Group 5	2005		
SOUTHEAST FLORIDA COAST	715 FARMS	106	3247	Dissolved Oxygen, Un-ionized Ammonia, Nutrients, Turbidity, Total Suspended Solids	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients already developed. Biological sampling indicated impairment. There is a potential this segment will be delisted because the Everglades Forever Act will address water quality.	High	Group 5	2005		
SOUTHEAST FLORIDA COAST	C-17,M CANAL,L-30	107	3242	Dissolved Oxygen, Coliforms, Biochemical Oxygen Demand		Low	Group 4	2010		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
SOUTHEAST FLORIDA COAST	EAST BEACH	109	3244	Dissolved Oxygen, Un-ionized Ammonia, Nutrients, Turbidity, Total Suspended Solids	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients already developed. Biological sampling indicated impairment.	High	Group 5	2005		
SOUTHEAST FLORIDA COAST	C-18	110	3234	Dissolved Oxygen, Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010	2011	
SOUTHEAST FLORIDA COAST	L-8	111	3233	Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients already developed. Biological sampling indicated impairment.	High	Group 4	2005	2011	
SOUTHEAST FLORIDA COAST	NORTHWEST FORK LOXAHATCHEE	113	3226A	Dissolved Oxygen, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	SOUTHWEST FORK LOXAHATCHEE	115	3226C	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	INTERCOASTAL WATERWAY ABOVE FLAGLER BRIDGE	117	3226E	Dissolved Oxygen, Coliforms		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	INTERCOASTAL WATERWAY ABOVE POMPANO	118	3226F	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	INTERCOASTAL WATERWAY ABOVE DADE CO.	119	3226G	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	LOXAHATCHEE RIVER	123	3232		Listing of this segment is based on the NPS Survey.	Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	KITCHINGS CREEK	126	3224B	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	ST. LUCIE CANAL	132	3210A	Dissolved Oxygen, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	SOUTH FORK ST. LUCIE	133	3210B	Dissolved Oxygen, Nutrients, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	MANATEE POCKET	135	3208	Dissolved Oxygen, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	BESSEY CREEK	137	3211	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms		High	Group 4	2005		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
SOUTHEAST FLORIDA COAST	C-24	140	3197	Dissolved Oxygen, Nutrients	According to SFWMD staff, C-24 will be considered as part of the Indian River Lagoon SWIM.	High	Group 4	2005		
SOUTHEAST FLORIDA COAST	NORTH ST.LUCIE	141	3194	Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)	According to SFWMD staff, this segment will be considered as part of the Indian River Lagoon SWIM.	High	Group 4	2005	2011	
SOUTHEAST FLORIDA COAST	TENMILE CREEK	142	3194A	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	ST. LUCIE	143	3194B	Nutrients	According to SFWMD staff this segment will be considered as part of the Indian River Lagoon SWIM.	High	Group 4	2005		
SOUTHEAST FLORIDA COAST	C-25 (Cowbone Creek)	146	3189 (3160)	Dissolved Oxygen, Nutrients, Coliforms	According to SFWMD staff this segment will be considered as part of the Indian River Lagoon SWIM.	High	Group 4	2005		
ST ANDREWS BAY	PARKER BAYOU	0	1141	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	PITTS BAYOU	0	1172	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	PRETTY BAYOU	0	1128	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	ROBINSON BAYOU	0	1123	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	WARREN BAYOU	0	1053	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	ST. JOE BAY	1	1267	Coliforms, Nutrients, Iron, Chlorides, Biochemical Oxygen Demand	Citizen requested that this water be listed.	High	Group 3	2004		
ST ANDREWS BAY	DIRECT RUNOFF TO BAY (St. Andrews Bay & East Bay)	7	1170	Nutrients	Military Point. Bay County WQBEL study included 3D model, but didn't include bayous.	Low	Group 3	2008		
ST ANDREWS BAY	MASSALINA BAYOU	9	1144	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	WATSON BAYOU	12	1136	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
ST ANDREWS BAY	JOHNSON BAYOU	13	1131	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	CALLOWAY BAYOU	14	1110	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	BEATTY BAYOU	16	1088	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	DEER POINT LAKE	20	553A	Mercury (Based on Fish Consumption Advisory)	SWIM Plan - Municipal Incinerator contributes airborne mercury. Drinking water source.	High	Group 3	2011		
ST JOHNS RIVER LOWER	LITTLE HAW CREEK	7	2630A	Dissolved Oxygen, Coliforms, Iron, Lead, Selenium		High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	HAW CREEK ABOVE CRESCENT LAKE	8	2622A	Nutrients, Iron, Coliforms, Lead, Selenium, Silver, Dissolved Oxygen, Biochemical Oxygen Demand	SWIM water for SJRWMD. Interim PLRG by 1998. Nutrients from row crops in watershed. Bunnell STP, which discharges to lake, has improved.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE DOCTOR LAKE	12	2213G	Iron, Nutrients	SWIM water for SJRWMD.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE PINEY POINT	19	2213F	Coliforms, Mercury, Nutrients	SWIM water for SJRWMD.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	RICE CREEK UPSTREAM TO MILL	22	2567B	Coliforms, Nutrients, Iron, Lead		Low	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	SIXTEENMILE CREEK	24	2589	Dissolved Oxygen, Nutrients		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	MILL BRANCH	25	2592	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand	Part of Tri-County Ag study area. Ag is mainly row crops (potatoes and cabbage).	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	WEST RUN INTERCEPTER D	28	2569	Dissolved Oxygen, Iron, Silver, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand	Part of Tri-County Ag study area. Ag is mainly row crops (potatoes and cabbage).	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	DOG BRANCH	34	2578	Dissolved Oxygen, Nutrients, Turbidity, Lead		Low	Group 2 & 3	2008		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
ST JOHNS RIVER LOWER	RICE CREEK DOWNSTREAM TO MILL	36	2567A	Dissolved Oxygen, Iron, Lead, Cadmium, Silver, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand	There is a potential we will delist based on relocation of Georgia-Pacific, but may be a phased TMDL because Dissolved Oxygen may stay low due (both naturally since a blackwater river and because of accumulated sediments.)	High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	CRACKER BRANCH	41	2555	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand	SJRWMD plans to develop interim PLRG in 1998. Row Crops.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	DEEP CREEK	51	2549	Dissolved Oxygen, Iron, Lead, Cadmium, Copper, Silver, Nutrients, Biochemical Oxygen Demand	SJRWMD plans to develop interim PLRG in 1998. Row crops and Hastings STP and RO.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	MOCCASIN BRANCH	54	2540	Dissolved Oxygen, Iron, Lead, Silver, Nutrients, Biochemical Oxygen Demand	SJRWMD plans to develop interim PLRG in 1998. Row crops.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	TOCOI CREEK	66	2492	Dissolved Oxygen, Nutrients		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE WARREN BRG	67	2213E	Coliforms, Nutrients	SWIM water for SJRWMD.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	GREENE CREEK	68	2478	Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	SIXMILE CREEK	72	2411	Dissolved Oxygen, Nutrients, Lead, Silver		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	PETERS CREEK	76	2444	Dissolved Oxygen, Iron, Lead, Cadmium, Silver, Nutrients, Coliforms	Elevated coliforms upstream, dairy influences downstream area. Are implementing dairy farm BMPs and has improved greatly but sediments may still be a problem. Landfill present in upper portion.	Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	MILL CREEK	77	2460	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Iron		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	BLACK CREEK SOUTHFORK	85	2415C	Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead, Silver		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE TROUT RIVER	87	2213D	Coliforms, Nutrients, Turbidity, Total Suspended Solids	SWIM water for SJRWMD. Downtown portion of Jacksonville.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	BLACK CREEK	92	2415B	Dissolved Oxygen, Iron, Lead, Cadmium, Silver		Low	Group 2 & 3	2008		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
ST JOHNS RIVER LOWER	SWIMMING PEN CREEK	94	2410	Nutrients, Lead, Cadmium, Silver, Zinc, Total Suspended Solids		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	GROG BRANCH	96	2407	Dissolved Oxygen, Coliforms, Turbidity, Iron, Total Suspended Solids		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	LITTLE BLACK CREEK	99	2368	Dissolved Oxygen, Coliforms, Iron		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	DOCTORS LAKE	103	2389	Dissolved Oxygen, Coliforms, Nutrients, Selenium, Cadmium, Lead, Silver		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	DURBIN CREEK	106	2365	Dissolved Oxygen, Selenium, Nutrients, Coliforms	Part of South Fork of Julington Creek. Drains swamp.	High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	JULINGTON CREEK	115	2351	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	BIG DAVIS CREEK	116	2356	Dissolved Oxygen, Nutrients, Selenium		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	GOODBYS CREEK	138	2326	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Colifoms	Drains urban area of Jacksonville. Nutrient sources include development and marinas. Downstream portion is tidally influenced.	High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	FISHING CREEK	145	2324	Dissolved Oxygen, Copper, Nutrients, Turbidity, Total Suspended Solids	Tributary to Ortega River. Very urbanized with septic tanks.	High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	BUTCHER PEN CREEK	151	2322	Coliforms, Copper, Nutrients, Turbidity, Total Suspended Solids, Dissolved Oxygen	Very small tributary to Ortega River. Highly urbanized (K-Mart). Residential neighborhood.	High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	WILLIAMSON CREEK	158	2316	Dissolved Oxygen, Coliforms	Data provided by local program. Highly urbanized tributary to Ortega River. Some industry.	High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	INTERCOASTAL WATERWAY	165	2205C	Dissolved Oxygen, Coliforms		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	POTTSBURG CREEK	170	2265B	Coliforms, Nutrients, Copper, Turbidity		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	WILLS BRANCH	178	2282	Copper, Nutrients, Turbidity, Total Suspended Solids, Dissolved Oxygen, Coliforms	May delist because could combine with 181 (part of Cedar River).	High	Group 2 & 3	2004		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
ST JOHNS RIVER LOWER	CEDAR RIVER	181	2262	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Lead, Zinc, Copper	Heavily industrialized (wire mill). Metals in stormwater and sediments are a problem. WQBEL done in 80-83. Residential, septic tank effects.	High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	MCCOY CREEK	182	2262A (2262)	Lead, Copper, Zinc, Nutrients, Total Suspended Solids	Industrial/residential. Part of proposed stormwater improvement project that will include water quality enhancements.	High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	ARLINGTON RIVER	184	2265A	Nutrients, Lead, Copper		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	HOGAN CREEK	192	2252	Dissolved Oxygen, Coliforms	Local Program suggested. Possible candidate for delisting because it may be a concrete culvert that empties into a shipyard. Septic tanks.	High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	STRAWBERRY CREEK	196	2239	Dissolved Oxygen, Coliforms, Nutrients, Copper		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	MONCRIEF CREEK	208	2228	Coliforms, Iron, Copper, Nutrients	Tributary to Trout River. Likely poor water quality due to septic tanks. Proposed stormwater improvement project that includes water quality enhancement.	High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	RIBAUT RIVER	209	2224	Coliforms, Lead	Siltation and septic tanks. Residential area.	High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE INTERCOASTAL WATERWAY ABOVE	211	2213B	Coliforms, Turbidity, Total Suspended Solids	SWIM water for SJRWMD.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE DAMES POINT	212	2213C	Nutrients, Turbidity, Total Suspended Solids	SWIM water for SJRWMD.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE TOCOI	216	2213K	Lead, Copper, Silver, Nutrients	SWIM water for SJRWMD.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE FEDERAL POINT	217	2213L	Lead, Cadmium, Copper, Silver, Nutrients	SWIM water for SJRWMD.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	ORTEGA RIVER	221	2213P	Nutrients, Coliforms, Lead, Copper, Total Suspended Solids, Dissolved Oxygen		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE MOUTH	224	2213A	Fluoride, Total Suspended Solids		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	TROUT RIVER	228	2203	Dissolved Oxygen, Coliforms, Iron		Low	Group 2 & 3	2008		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
ST JOHNS RIVER LOWER	TROUT RIVER	229	2203A	Nutrients, Coliforms, Cadmium		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	CEDAR POINT CREEK	232	2205B (2213P & 2188)	Nutrients, Iron		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	LITTLE TROUT RIVER	236	2206	Nutrients, Total Suspended Solids	Light residential.	High	Group 2 & 3	2004		
ST JOHNS RIVER UPPER	FORT DRUM CREEK	4	3154	Dissolved Oxygen, Coliforms, Nutrients, Lead		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	DRAINED FARMLAND	19	3140	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	LAKE HELEN BLAZES	28	2893Q	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Marsh drainage, part of the Upper St. Johns River restoration area that combines restoration of farmed river floodplain tracts and freshwater flows. PLRGS being developed for phosphorus by the SJRWMD.	High	Group 2 & 3	2004	2002/2011	nutrients/mercury
ST JOHNS RIVER UPPER	JANE GREEN CREEK	30	3084	Dissolved Oxygen, Nutrients, Iron, Lead		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	SAWGRASS LAKE	32	28931	Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 2 & 3	2008	2011	mercury
ST JOHNS RIVER UPPER	ST. JOHNS RIVER ABOVE LAKE WASHINGTON	33	2893P	Dissolved Oxygen, Iron, Lead, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)	Marsh drainage, part of the Upper St. Johns River restoration area that combines restoration of farmed river floodplain tracts and freshwater flows. PLRGS being developed for phosphorus by the SJRWMD.	High	Group 2 & 3	2004	2002	nutrients
ST JOHNS RIVER UPPER	ST. JOHNS RIVER ABOVE SAWGRASS LAKE	34	2893X	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)	Marsh drainage, part of the Upper St. Johns River restoration area that combines restoration of farmed river floodplain tracts and freshwater flows. PLRGS being developed for phosphorus by the SJRWMD.	High	Group 2 & 3	2004	2002/2011	nutrients/mercury
ST JOHNS RIVER UPPER	CRABGRASS CREEK	35	3073	Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	WOLF CREEK	38	3075	Dissolved Oxygen, Nutrients, Coliforms, Cadmium, Iron, Lead		Low	Group 2 & 3	2008		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
ST JOHNS RIVER UPPER	ST. JOHNS RIVER ABOVE LAKE WINDER	39	2893N	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Marsh drainage, part of the Upper St. Johns River restoration area that combines restoration of farmed river floodplain tracts and freshwater flows. PLRGS being developed for phosphorus by the SJRWMD.	High	Group 2 & 3	2004	2002/2011	nutrients/mercury
ST JOHNS RIVER UPPER	ST. JOHNS RIVER ABOVE LAKE POINSETT	40	2893L	Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)	Marsh drainage, part of the Upper St. Johns River restoration area that combines restoration of farmed river floodplain tracts and freshwater flows. PLRGS being developed for phosphorus by the SJRWMD.	High	Group 2 & 3	2004	2002/2011	nutrients/mercury
ST JOHNS RIVER UPPER	LAKE POINSETT	42	2893K	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Group 2 & 3	2008	2011	mercury
ST JOHNS RIVER UPPER	LONG BRANCH	52	3030	Dissolved Oxygen, Coliforms, Iron, Nutrients, Biochemical Oxygen Demand, Turbidity	Tributary to the Econ. Land owned by the SJRWMD and had been leased for pasture. Cattle are being removed so a TMDL for coliforms should not be necessary. Iron is naturally high in the area.	High	Group 2 & 3	2004	2002	nutrients
ST JOHNS RIVER UPPER	ST. JOHNS RIVER ABOVE PUZZLE LAKE	53	2893I	Dissolved Oxygen, Coliforms, Lead, Nutrients, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)	Mostly marsh/wetlands. Receives discharge from Iron Bridge treatment wetland and cattle.	Low	Group 2 & 3	2008	2011	mercury
ST JOHNS RIVER UPPER	LITTLE WEKIVA CANAL	58	3004	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	LITTLE ECONLOCKHATCHEE	62	3001	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	CRANE STRAND DRAIN	64	3014	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand	Data very old. Highly urbanized and stormwater from golf course.	High	Group 2 & 3	2004		
ST JOHNS RIVER UPPER	FOX LAKE	67	3008A	Nutrients	Really a marsh (cattails) due to natural succession. Public park along part of the lake.	High	Group 2 & 3	2004		
ST JOHNS RIVER UPPER	ECONLOCKHATCHEE RIVER	79	2991A	Dissolved Oxygen, Coliforms, Nutrients, Lead, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)		Low	Group 2 & 3	2008	2011	mercury
ST JOHNS RIVER UPPER	LOUGHMAN LAKE	81	2978A (2978)	Biochemical Oxygen Demand, Dissolved Oxygen, Nutrients		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	SALT LAKE	82	2978B (2978A)	Biochemical Oxygen Demand, Dissolved Oxygen, Nutrients		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	GEE CREEK	87	2994A	Coliforms, Nutrients, Lead	SJRWMD suggested that this water be listed. It drains to Lake Jesup.	Low	Group 2 & 3	2008		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
ST JOHNS RIVER UPPER	LAKE PREVATT	90	2993	Dissolved Oxygen, Coliforms, Nutrients	Expected good water quality and plan to investigate.	Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	LITTLE WEKIVA RIVER	91	2987	Coliforms, Nutrients		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	LAKE HARNEY	93	2964A	Dissolved Oxygen, Nutrients, Cadmium, Silver		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	LAKE JESSUP	95	2981	Un-ionized Ammonia, Nutrients	District conducting a basin study. WMD has active program, but does not plan to develop PLRG.	High	Group 2 & 3	2004		
ST JOHNS RIVER UPPER	LAKE JESSUP NEAR ST. JOHNS RIVER	96	2981A	Dissolved Oxygen, Nutrients	The Department plans to combine this segment with segment 95 (Lake Jesup)	High	Group 2 & 3	2004		
ST JOHNS RIVER UPPER	SOLDIER CREEK REACH	97	2986	Dissolved Oxygen, Coliforms, Nutrients, Lead	SJRWMD suggested that this water be listed. It drains to Lake Jesup.	Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	WEKIVA SPRINGS	99	2956C	Nutrients, Coliforms		High	Group 2 & 3	2004		
ST JOHNS RIVER UPPER	ROCK SPRINGS RUN	101	2967	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand	Typical spring (low Dissolved Oxygen and high nutrients), but also has high coliforms. May be septic tanks from restaurant and canoe rental, or wildlife or people. Biology was good.	High	Group 2 & 3	2004		
ST JOHNS RIVER UPPER	RAVENNA PARK DITCHES (Smith Canal)	108	2962	Dissolved Oxygen, Coliforms, Nutrients, Iron, Turbidity		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	LAKE MONROE	111	2893D (&2893C)	Dissolved Oxygen, Nutrients, Lead, Un-ionized Ammonia, Selenium		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	BLACK WATER CREEK	112	2929A	Dissolved Oxygen, Nutrients, Iron, Lead, Cadmium, Selenium, Zinc		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	ST. JOHNS RIVER ABOVE WEKIVA RIVER	113	2893C	Dissolved Oxygen, Lead, Nutrients, Total Suspended Solids, Biochemical Oxygen Demand	SJRWMD does not plan to develop a PLRG for this portion of the river.	Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	DEEP CREEK-LAKE ASHBY CANAL	115	2925	Coliforms, Iron, Lead, Cadmium, Silver		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	BLUE SPRINGS	120	28933	Nutrients	Should be good water quality. State park. Note that SJRWMD indicated that some data from a different Blue Springs may have been entered for this site.	High	Group 2 & 3	2004		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
ST JOHNS RIVER UPPER	ST. JOHNS RIVER ABOVE LAKE GEORGE	123	2893Z	Dissolved Oxygen, Nutrients, Total Suspended Solids	Dissolved Oxygen possibly low because of depth. SJRWMD does not plan to develop a PLRG for this portion of the river.	Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	BUCK LAKE	130	2918B	Coliforms		Low	Group 2 & 3	2008		
ST MARKS RIVER	ST. MARKS RIVER	7	793A	Coliforms, Dissolved oxygen	Possible oil contamination of sediments.	High	Group 1	2002		
ST MARKS RIVER	LAKE MUNSON (Eight Mile Pond/Ames Sink)	10	807A	Nutrients		Low	Group 1	2007		
ST MARKS RIVER	LAKE MUNSON	13	807C	Nutrients	There is a potential we will delist this segment because planned pollution control mechanisms (an upstream stormwater management pond) provide reasonable assurance that water quality standards will be met.	Low	Group 1	2007		
ST MARKS RIVER	MUNSON SLOUGH (ABOVE LAKE)	15	807D	Dissolved Oxygen, Coliforms, Nutrients, Turbidity		Low	Group 1	2007		
ST MARKS RIVER	LAKE BRADFORD	19	878A	Dissolved Oxygen		Low	Group 1	2007		
ST MARKS RIVER	EAST DRAINAGE DITCH	23	916	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms	Urban Runoff.	High	Group 1	2002		
ST MARKS RIVER	ST AUGUSTINE BRANCH	28	865	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms		High	Group 1	2002		
ST MARKS RIVER	CENTRAL DRAINAGE DITCH	30	857	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Chemical Oxygen Demand, Coliforms		High	Group 1	2002		
ST MARKS RIVER	LAKE LAFAYETTE	31	756	Nutrients, Coliforms, Turbidity	Landfill, urban runoff, heavy construction and groundwater contamination.	High	Group 1	2002		
ST MARKS RIVER	GODBY DITCH	36	820	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand		High	Group 1	2002		
ST MARKS RIVER	BLACK CREEK	38	628	Dissolved Oxygen	FDEP sediment study. BioRecon data.	Low	Group 1	2007		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
ST MARKS RIVER	LAKE MICCOSUKEE	41	791L	Mercury (Based on Fish Consumption Advisory)		Low	Group 1		2011	mercury
ST MARKS RIVER	WARD CREEK	42	459	Dissolved Oxygen, Coliforms		High	Group 1	2002		
ST MARYS RIVER	ST MARYS RIVER	0	2097F	Biochemical Oxygen Demand	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 4	2010		
ST MARYS RIVER	ST MARYS RIVER	0	2097J	Biochemical Oxygen Demand	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 4	2010		
ST MARYS RIVER	ST MARYS RIVER	9	2097I	Nutrients, Mercury (Based on Fish Consumption Advisory)	Cattle and silviculture in area.	Low	Group 4	2010	2011	mercury
ST MARYS RIVER	MIDDLE PRONG ST. MARYS	10	2211	Coliforms, Mercury (Based on Fish Consumption Advisory)	Water quality good. Actually a reference site.	Low	Group 4	2010	2011	mercury
ST MARYS RIVER	ST. MARYS RIVER NORTH PRONG	11	2097K	Mercury (Based on Fish Consumption Advisory)	Drains swamp area. Blackwater creek.	Low	Group 4	2011		
ST MARYS RIVER	JACKSON CREEK	14	2140A	Nutrients		Low	Group 4	2010		
ST MARYS RIVER	AMELIA RIVER	15	2124	Nutrients	Data in 305(b) report old. Intensive studies indicate biological impairment.	High	Group 4	2005		
ST MARYS RIVER	ST. MARYS RIVER	16	2097B	Nutrients, Mercury (Based on Fish Consumption Advisory)	TSS high - could be marsh or pulp and paper mills.	Low	Group 4	2010	2011	mercury
ST MARYS RIVER	LITTLE ST. MARYS RIVER	17	2106	Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010	2011	mercury
ST MARYS RIVER	ST. MARYS RIVER ABOVE INTERCOASTAL WATERWAY	18	2097A	Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010	2011	mercury
ST MARYS RIVER	ST. MARYS RIVER	19	2097C	Dissolved Oxygen, Nutrients, Total Suspended Solids, Coliforms		Low	Group 4	2010		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
SUWANNEE RIVER LOWER	SUWANNEE RIVER, LOWER	10	3422B	Dissolved Oxygen, Nutrients	This is a SWIM waterbody for the SRWMD. Several springs, previously listed separately, have been identified as having elevated nitrate concentrations (Troy, Royal, Convict, Running, Telford, Owens, and Blue Spring).	Low	Group 1	2002		
SUWANNEE RIVER LOWER	ALLEN MILL POND	14	3525	Dissolved Oxygen, Nutrients		Low	Group 1	2007		
SUWANNEE RIVER UPPER	LAKE JEFFERY OUTLET	2	3499		Listing of this segment is based on biological sampling. District office sampled last fall and will update information for possible delisting.	Low	Group 1	2002		
SUWANNEE RIVER UPPER	FALLING CREEK	3	3477	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1	2002		
SUWANNEE RIVER UPPER	ROARING CREEK	9	3392	Dissolved Oxygen, Nutrients, Total Suspended Solids, Turbidity	Need to recalculate index as blackwater stream. Upper reaches intermittent. PCS (phosphate mine) reclamation area.	Low	Group 1	2002		
SUWANNEE RIVER UPPER	DEEP CREEK	11	3388	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1	2002		
SUWANNEE RIVER UPPER	SUWANNEE RIVER (UPPER)	12	3341	Dissolved Oxygen, Nutrients		Low	Group 1	2002		
SUWANNEE RIVER UPPER	CAMP BRANCH	13	3401	Dissolved Oxygen, Nutrients, Coliforms	Need to recalculate index as blackwater stream. Swamp drainage. PCS may have data.	Low	Group 1	2002		
SUWANNEE RIVER UPPER	SWIFT CREEK	15	3375	Dissolved Oxygen, Nutrients, Total Suspended Solids	Need to recalculate index as blackwater stream. Primary receiving water for PCS (used to be Oxychem). Have been improvements at the facility.	Low	Group 1	2002		
TAMPA BAY	BLACK POINT CHANNEL	0	1637	Dissolved Oxygen, Nutrients	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1 & 2	2008		
TAMPA BAY	BISHOPS HARBOR	3	1797B	Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 1 & 2	2008	2011	mercury
TAMPA BAY	COCKROACH BAY	4	1778	Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)	Has contaminated sediments. Ongoing restoration effort.	Low	Group 1 & 2	2008	2011	mercury
TAMPA BAY	BIG BAYOU	6	1709	Dissolved Oxygen, Coliforms, Nutrients	Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
TAMPA BAY	BULLFROG CREEK	9	1666A	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	TAMPA BAY UPPER	10	1558C	Coliforms, Mercury (Based on Fish Consumption Advisory)	Nutrients addressed in Tampa Bay TMDL.	Low	Group 1 & 2	2003	2011	mercury
TAMPA BAY	COFFEEPOT BAYOU	12	1700	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	SMACKS BAYOU	16	1683	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	OLD TAMPA BAY LOWER	17	1558F	Coliforms, Mercury (Based on Fish Consumption Advisory)	Nutrients addressed in Tampa Bay TMDL.	Low	Group 1 & 2	2003	2011	mercury
TAMPA BAY	HILLSBOROUGH BAY LOWER	20	1558D	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)	Nutrients addressed in Tampa Bay TMDL.	Low	Group 1 & 2	2008	2011	mercury
TAMPA BAY	SNUG HARBOR	22	1654	Dissolved Oxygen		Low	Group 1 & 2	2008		
TAMPA BAY	DIRECT RUNOFF TO BAY (From Interbay Peninsula-Old Tampa Bay/Hillsborough Bay)	23	1609	Dissolved Oxygen, Coliforms, Nutrients		High	Group 1 & 2	2003		
TAMPA BAY	DIRECT RUNOFF TO BAY (Old Tampa Bay (west))	24	1624	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients	Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003	1998	nitrogen
TAMPA BAY	CROSS CANAL (NORTH)	25	1625	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	HILLSBOROUGH BAY UPPER	26	1558E	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003	1998/2011	nitrogen/mercury
TAMPA BAY	OLD TAMPA BAY	27	1558G	Coliforms, Mercury (Based on Fish Consumption Advisory)	Nutrients addressed in Tampa Bay TMDL.	Low	Group 1 & 2	2003	2011	mercury
TAMPA BAY	LONG BRANCH	28	1627	Dissolved Oxygen, Coliforms, Nutrients		High	Group 1 & 2	2003		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
TAMPA BAY	DIRECT RUNOFF TO BAY (Tampa Bay)	29	1630		Listing of this water segment is based on the NPS survey. Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003		
TAMPA BAY	MCKAY BAY	30	1584B	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 1 & 2	2003	2011	mercury
TAMPA BAY	ALLEN CREEK	33	1604	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	DELANEY CREEK	34	1605	Dissolved Oxygen, Coliforms, Lead, Nutrients, Turbidity, Biochemical Oxygen Demand	Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003	1998	nitrogen
TAMPA BAY	OLD TAMPA BAY	35	1558H	Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)	Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003	1998/2011	nitrogen/mercury
TAMPA BAY	PALM RIVER	38	1536E	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	YBOR CITY DRAIN	39	1584A	Nutrients, Total Suspended Solids, Biochemical Oxygen Demand, Chemical Oxygen Demand		High	Group 1 & 2	2003		
TAMPA BAY	UCETA YARD DRAIN	40	1599	Nutrients		High	Group 1 & 2	2003		
TAMPA BAY	DIRECT RUNOFF TO BAY (Sweetwater Creek/Old Tampa Bay)	41	1601	Dissolved Oxygen, Coliforms, Nutrients		High	Group 1 & 2	2003		
TAMPA BAY	DIRECT RUNOFF TO BAY (Old Tampa Bay)	42	1603	Nutrients, Total Suspended Solids, Biochemical Oxygen Demand, Chemical Oxygen Demand	Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003	1998	nitrogen
TAMPA BAY	ALLIGATOR CREEK	43	1574	Nutrients, Dissolved Oxygen, Coliforms		Low	Group 1 & 2	2008		
TAMPA BAY	ALLIGATOR LAKE	44	1574A	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	OLD TAMPA BAY	45	1558I	Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 1 & 2	2003	2011	mercury
TAMPA BAY	BELLOWS LAKE OUTLET	46	1579	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
TAMPA BAY	DIRECT RUNOFF TO BAY (Safety Harbor)	47	1593	Dissolved Oxygen	Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003		
TAMPA BAY	SIXMILE CREEK (Tampa Bypass Canal)	48	1536B	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand		Low	Group 1 & 2	2008		
TAMPA BAY	MULLET CREEK	49	1575 (1546)	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	CHANNEL G	51	1563	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	TAMPA BYPASS CANAL	52	1536C	Dissolved Oxygen, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	BISHOP CREEK	53	1569	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	DIRECT RUNOFF TO BAY (West Possom Branch)	54	1559	Dissolved Oxygen, Coliforms, Nutrients		High	Group 1 & 2	2003		
TAMPA BAY	SWEETWATER CREEK	57	1516	Dissolved Oxygen, Coliforms		Low	Group 1 & 2	2008		
TAMPA BAY	LAKE TARPON CANAL	58	1541A	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	ROCKY CREEK	60	1507	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		High	Group 1 & 2	2003		
TAMPA BAY	ROCKY CREEK	61	1507A	Dissolved Oxygen, Coliforms, Nutrients		High	Group 1 & 2	2003		
TAMPA BAY	MOCCASIN CREEK	62	1530	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	DOUBLE BRANCH	63	1513	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	LAKE TARPON CANAL	64	1541B	Dissolved Oxygen		Low	Group 1 & 2	2008		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
TAMPA BAY	BRUSHY CREEK	70	1498	Dissolved Oxygen, Coliforms		Low	Group 1 & 2	2008		
TAMPA BAY	BROOKER CREEK	83	1474	Dissolved Oxygen, Coliforms, Nutrients		High	Group 1 & 2	2003		
TAYLOR CREEK	NUBBIN SLOUGH	2	3203A	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 1	2007	2002	phosphorus
TAYLOR CREEK	MOSQUITO CREEK	5	3203B	Dissolved Oxygen, Nutrients, Coliforms	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
TAYLOR CREEK	CHANDLER HAMMOCK SLOUGH	6	3199B	Nutrients, Turbidity, Dissolved Oxygen	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
TAYLOR CREEK	TAYLOR CR	7	3205	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 1	2007	2002	phosphorus
TAYLOR CREEK	OTTER CREEK	8	3205D	Dissolved Oxygen, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
WACCASASSA RIVER	HORSEHOLE CREEK	0	3747	Dissolved Oxygen	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1	2007		
WACCASASSA RIVER	LITTLE WACCASASSA RIVER	0	3703	Dissolved Oxygen	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1	2007		
WITHLACOOCHE RIVER SOUTH	LAKE MATTIE OUTLET	2	1476	Nutrients	SW District Suggested.	Low	Group 4	2010		
WITHLACOOCHE RIVER SOUTH	DADE CITY CANAL	8	1399	Nutrients, Dissolved Oxygen, Biochemical Oxygen Demand		High	Group 4	2005		
WITHLACOOCHE RIVER SOUTH	LITTLE WITHLACOOCHE RIVER	10	1381	Dissolved Oxygen, Coliforms	SW District Suggested.	Low	Group 4	2010		
WITHLACOOCHE RIVER SOUTH	BIG GANT CANAL	14	1378	Dissolved Oxygen, Coliforms	SW District Suggested.	Low	Group 4	2010		
WITHLACOOCHE RIVER SOUTH	LAKE LINDSEY	16	1329H	Dissolved Oxygen, Coliforms		Low	Group 4	2010		

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
WITHLACOOCHE RIVER SOUTH	LESLIE-HEFNER CANAL	26	1357	Dissolved Oxygen	Naturally low Dissolved Oxygen. Located in swamp area.	High	Group 4	2005		
WITHLACOOCHE RIVER SOUTH	LAKE ROUSSEAU	41	1329B	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
WITHLACOOCHE RIVER SOUTH	RAINBOW RIVER	47	1320A	Nutrients	SWFWMD Suggested. SWIM Waterbody. Interim PLRG developed.	High	Group 4	2005		
WITHLACOOCHEE RIVER NORTH	JUMPING GULLY CREEK	0	3318	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 1	2007		
WITHLACOOCHEE RIVER NORTH	WITHLACOOCHEE RIVER	2	3315	Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2007	2011	mercury
YELLOW RIVER	YELLOW RIVER	1	30A	Dissolved Oxygen, Turbidity, Mercury (Based on Fish Consumption Advisory).		Low	Group 4 & 5	2011		
YELLOW RIVER	LITTLE CREEK	13	144	Coliforms		Low	Group 4 & 5	2011		
YELLOW RIVER	TURKEY CREEK	14	117	Coliforms, Turbidity		Low	Group 4 & 5	2011		
YELLOW RIVER	MURDER CREEK	16	107	Dissolved Oxygen, Coliforms		Low	Group 4 & 5	2011		
YELLOW RIVER	YELLOW RIVER	21	30	Coliforms, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		
*A special TMDL development year is the year for which a TMDL will be created for a specific parameter (not all parameters) ahead of the scheduled TMDL year. For example, a coliform TMDL will be created for the Blackwater River.										
¹ WBID is the unique identifier for each water. ² MAPID is used to locate the waters on a map.										